ORIGINAL DECEIVE WATER WELL DRILL STATE ENGINEER NOV 2 1956 STATE OF OR	
(1) OWNER: TATE ENGINEER Name Address RT#4 Box# 357 Corvolus: Oregon	(10) WELL TESTS: Was a pump test made? Wes I No If yes, by whom? Yield: 265 gal./min. with 10 ft. draw down after hrs. """ "" "" ""
(2) LOCATION OF WELL: County Jim Owner's number, if any— G. 468 R. F. D. of Street No. 17#4 130 A. 357 Convallis Bearing and distance from section or subdivision corner Sec. 8 Town Ship 12 12 Ange 4 W 29.23 Acres	Artesian flowg.p.m. Shut-in pressurelbs. per square inch. Bailer test g.p.m. with ft. drawdown Temperature of water Was a chemical analysis made? Was electric log made of well? Yes MNo WELLLOG:
(3) TYPE OF WORK (check): w well K Deepening □ Reconditioning □ 'Abandon □ abandonment, describe material and procedure in Item 11. (4) PROPOSED USE (check): Domestic □ Industrial □ Municipal □ Rotary □ Cable ▼ Dug Well □ Dug Well □	Diameter of well,
(6) CASING INSTALLED: Threaded Welded Gage	20 " 22 " Sand 22 " 28 " Fine Gravel 28 " 33 " Coarse Gravel " " "
" " " " " " " " " " " " " " " " " " "	
Control of perforations 12 in., length, by 14 in. FROM 18t. to 32 ft. 1 perf per foot 6 No. of rows	n n n n n n n n n n n n n n n n n n n
" " " " " " " " " " " " " " " " " " "	
(8) CONSTRUCTION: Was a surface sanitary seal provided? Were any strata sealed against pollution? Yes X No Yes No	" " " " Ground elevation at well site feet above mean sea level.
If yes, note depth of strata FROM ft. to ft. """ METHOD OF SEALING	Work started 10-23 196, Completed 10-24 1956 Well Driller's Statement: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. NAME Merle E. Warren, Well Drilling
(9) WATER LEVELS: Depth at which water was first found Standing level before perforating Standing level after perforating Log Accepted by: [Signed] Owher 10 ft. 10 ft. 10 10 10 10 10 10 10 10 10 1	(Person, firm, or corporation) (Typed or printed) Address 1315 W. 15th Ave., Albany, Oregon