The original and first copy of this feet.

are to be filed with the

WATER WELL REPORT

1828 State Permit N water resources department, JUL 2 2 1980 STATE OF OREGON SALEM, OREGON 97310 within 30 days from the WATER RESOURCES DEPT of well completion.

SALEM, OREGON not write above this line) State Permit No. (1) OWNER.

(I) OWNER:	(10) LOCATION OF WELL:		
Name Albany Rifle & Pistol Club	County Linn Driller's well number		
Address 1440 Center St. SE, Albany, Or. 97321	1/4 Section O T. 72 CR	3 W W.M.	
(9) TVDE OF THORY (1 1)	Bearing and distance from section or subdivision corr		
(2) TYPE OF WORK (check):	Supervision Corp.		
New Well □ Deepening ▼ Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	_	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Denth at which water was first found		
Rotary Driven Domestic Industrial Municipal Domestic		ft.	
Bored Irrigation Test Well Other	9 gand surface.	Date 5-29-8	
	Artesian pressure lbs. per square inch. Date		
(5) CASING INSTALLED: Threaded □ Welded K.	(12) WELL LOG: Diameter of well below contract.		
" Diam. fromft. toft. Gage	Diameter of wen below casing		
" Diam. fromft. toft. Gage	250 11.		
" Diam. fromft. toft. Gage	and show thickness and nature of each stratum and aquifor nonethers		
(6) PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
Type of perforator used	MATERIAL From	To SWL	
Size of perforations in by in.	Firm Dark Gray Shale 150	190	
perforations from ft. to ft.	Firm Black Shale 190	222	
perforations from ft. to ft.	Hard Dark Gray Shale 222	240	
perforations from ft. to ft.	Firm Gray Shale 240	250	
(7) SCREENS: Well screen installed? [] You [] Well			
Manufacturer's Name Well screen installed? Yes No			
Type Model No.			
Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	RECEIVED		
a pump test made? Tyes Y No If yes, by whom?	JUN 3 1980		
Yield: gal./min. with ft. drawdown after hrs.	WATER RESOURCES DEPT		
,			
II	SALEM, OREGON		
" " " " " " " " " " " " "			
hrs.			
Artesian flow g.p.m.			
Temperature of water Depth artesian flow encountered ft.	Work started 5-22 19 80 Completed 5.	29 19 80	
(9) CONSTRUCTION:	Date well drilling machine moved off of well 5-3		
Well seal—Material used			
Well sealed from land surface toft.	Drilling Machine Operator's Certification: This well was constructed under my direct supervision.		
Diameter of well bore to bottom of seal in.	I MANGELIALD USED BILL HILLOFINATION PANORION SHOWS ONG France to make		
Diameter of well bore below seal in.	best knowledge and belief.		
Number of sacks of cement used in well seal	[Signed] Date (Drilling Machine Operator)		
How was cement grout placed?	Drilling Machine Operator's License No436		
	-		
The state of the s	Water Well Contractor's Certification:		
	This well was drilled under my jurisdiction and this report is		
Was a drive shoe used? Yes No Plugs Size: location ft.	the to the best of my knowledge and belief.		
Did any strata contain unusable water? Yes X No	Name Merle Warren Well Drilling, Inc. (Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address 34111 Hev QOE Roman C	D7780	
Method of sealing strata off	Address 34111 Hwy 99E Tangent, Or 97389		
Was well gravel packed? ☐ Yes → No Size of gravel:	[Signed] (Water Well Contractor)		
Gravel placed from ft. to ft.	Contractor's License No. 182 Date	7	
	Dale	, 192	