NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

27 STATE OF OREGON ENGIPLESSET TYPE OF Print)

of well completion.	pe or print) State Permit No	
(1) OWNER:	(11) WELL TESTS: Drawdown is amount wat lowered below static level	er level is
Name Linn Co. Parks & Recreation Dept.	Was a pump test made? Tyes I No If yes, by whom?	
Address Court House Annex	Yield: gal./min. with ft. drawdown a	after hrs.
Albany Oregon	" "	,,
(2) LOCATION OF WELL:	" "	"
Garanta T. Francisco Garanta G	Bailer test 24 gal./min. with 21 ft. drawdown	after 1 hrs.
County Linn Driller's well number	Artesian flow g.p.m. Date	
	Temperature of water Was a chemical analysis mad	e? 🗌 Yes 🏋 No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below casing	<i></i>
	Diameter of well below casing	,
	Depth drilled 53 ft. Depth of completed well	_53 <u>ft.</u>
	Formation: Describe by color, character, size of material an show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each change.	d structure, and
the state of the s	stratum penetrated, with at least one entry for each change	je of formation.
	MATERIAL FI	ROM TO
(3) TYPE OF WORK (check):		
New Well 🔣 Deepening 🗌 Reconditioning 🗍 Abandon 🗍		0 2
pandonment, describe material and procedure in Item 12.		2 22
		22 32
(4) PROPOSED USE (check): (5) TYPE OF WELL:		32 44
Domestic X Industrial   Municipal   Rotary   Driven   Coble M Letted		44 49
Irrigation ☐ Test Well ☐ Other ☐ Cable <b>X</b> Jetted ☐ ☐ Dug ☐ Bored ☐	Blue Clay	49   53 -
(C) CACING INCOMITED		
(6) CASING INSTALLED: Threaded  Welded &		
6		
ft. to ft. Gage		
ft. Gageft.		
(7) PERFORATIONS: Perforated? MY Yes I No		
= 01101000d. kg 100 110		
Type of perforator used Acetylene Torch		
Size of perforations 3/8 in. by 12 in.		
perforations from ft. to ft.		
perforations from		
perforations from		
perforations from ft. to ft.		
(8) SCREENS: Well screen installed? ☐ Yes 🛂 No	1 1.	
Manufacturer's Name		
Model No.		
m Slot size Set from ft. to ft.		
Diam Slot size Set from ft. to ft.	Work started 2-21 19 67 Completed 2-2	
	Date well drilling machine moved off of well 2-24	1967
(9) CONSTRUCTION:	(13) PUMP:	
Well seal—Material used in sealBentonite	Manuscaston at a 27	
Depth of seal18ft. Was a packer used?	Manufacturer's Name	
Diameter of well bore to bottom of sealin.	Type: H.P.	
Were any loose strata cemented off? 🗆 Yes 🏝 No Depth	Water Well Contractor's Certification:	
Was a drive shoe used? Yes □ No	Military and a second s	
Was well gravel packed? Tyes No Size of gravel:	This well was drilled under my jurisdiction and true to the best of my knowledge and belief.	this report is
Gravel placed from	•	
	NAME Merle Warren Well Drilling (Person, firm or corporation) (Type or print)	
Did any strata contain unusable water? Tyes XNo		
Type of water? depth of strata	Address Rt. 1, Box 85, Tangent, Ore	÷gon
Method of sealing strata off	Drilling Machine Operator's License No436	/
(10) WATER LEVELS:	///////	
Static level 26 ft. below land surface Date 2-24-67	[Signed] Water Wall Quarter	n
	(Water Well Contractor)	500 1-
Artesian pressure lbs. per square inch Date	Contractor's License No. 182 Date	:/, 19 <i>Q.</i> ./
/***** · ******************************	<u></u>	