

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED

MAY 25 1968

WATER WELL REPORT

LINN 12075

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON STATE ENGINEER SALEM OREGON (Please type or print)

State Well No. 13/4w-19 dabb State Permit No.

G-4816

(1) OWNER:

Name A. R. Hilbert Address Route 4 Albany, Oregon

(2) LOCATION OF WELL:

County Linn Driller's well number 12 1/4 Section 19 T. 13S R. 4w W.M. Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon [] Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored []

(6) CASING INSTALLED:

Threaded [] Welded [X] 10" Diam. from 0 ft. to 30 ft. Gage STD

(7) PERFORATIONS:

Perforated? [X] Yes [] No Type of perforator used acetylene torch Size of perforations 1/2 in. by 6 in. 90 perforations from 20 ft. to 30 ft.

(8) SCREENS:

Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Drilled with slurry of bentonite Depth of seal 20 ft. Was a packer used? Diameter of well bore to bottom of seal in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [] Yes [X] No Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft. Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off

(10) WATER LEVELS:

Static level 9 ft. below land surface Date 5-23-68 Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [] No If yes, by whom? Yield: 300 gal./min. with 2 ft. drawdown after 1/2 hrs. 375 " 2 1/2 " 1 " 500 " 9 " 3 "

(12) WELL LOG:

Diameter of well below casing 10 Depth drilled 34 ft. Depth of completed well 34 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Rows include loam (0-6), boulders & sand & gravel (6-18), gravel & sand (18-30), gravel & clay brown (30-32), blue clay (32-34).

Work started 5-19-68 Completed 5-23-66 19 Date well drilling machine moved off of well 5-23-66 19

(13) PUMP:

Manufacturer's Name Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Raymond C. Gellatly & Ronald S. Witham NAME (Person, firm or corporation) (Type or print)

Address Box 1 Philomath, Oregon

Drilling Machine Operator's License No. 76

[Signed] Raymond C. Gellatly (Water Well Contractor)

Contractor's License No. 77 Date 5-23-66 19