

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy of this report  
are to be filed with the

WATER RESOURCES DEPARTMENT,  
SALEM, OREGON 97310  
within 30 days from the date  
of well completion.

LINN  
12/102

WATER WELL REPORT

STATE OF OREGON  
(Please type or print)

RECEIVED

State Well No. 13S/4W-322d

FEB 14 1978

State Permit No.

(1) OWNER:

Name Willamette National Forest  
Address P.O. Box 10607  
EUGENE, OREGON

(2) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary  Driven   
Cable  Jetted   
Dug  Bored

(4) PROPOSED USE (check):

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

CASING INSTALLED:

0" Diam. from 0 ft. to 25 ft. Gage 250  
" Diam. from " ft. to " ft. Gage  
" Diam. from " ft. to " ft. Gage

PERFORATIONS:

Perforated?  Yes  No.  
Type of perforator used  
Size of perforations in. by in.  
perforations from " ft. to " ft.  
perforations from " ft. to " ft.  
perforations from " ft. to " ft.

(7) SCREENS:

Well screen installed?  Yes  No  
Manufacturer's Name  
Type Model No.  
Diam. Slot size Set from " ft. to " ft.  
Diam. Slot size Set from " ft. to " ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom?  
Yield: gal./min. with ft. drawdown after hrs.  
" " " " " "  
" " " " " "  
Baller test 26 gal./min. with 75 ft. drawdown after 2 hrs.  
Artesian flow g.p.m.  
Temperature of water Depth artesian flow encountered " ft.

(9) CONSTRUCTION:

Well seal—Material used Cement  
Well sealed from land surface to 20 ft.  
Diameter of well bore to bottom of seal 10 in.  
Diameter of well bore below seal 6 in.  
Number of sacks of cement used in well seal 19 sacks  
How was cement grout placed? press grout

Was a drive shoe used?  Yes  No Plugs Size: location ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? depth of strata  
Method of sealing strata off  
Was well gravel packed?  Yes  No Size of gravel:  
Gravel placed from " ft. to " ft.

WATER RESOURCES DEPT.  
SALEM, OREGON

(10) LOCATION OF WELL  
County LINN Driller's well number 4/78  
SE 1/4 NE 1/4 Section 32 T18S R. 4W W.M.

Bearing and distance from section or subdivision corner  
Trouf. Creek Campground #2

(11) WATER LEVEL: Completed well.

Depth at which water was first found 63 ft.  
Static level 19 ft. below land surface. Date 1/18/78  
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing Six  
Depth drilled 75 ft. Depth of completed well 75 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Boulders, c/14, yellow	0	17	
Sandrock, Red	17	40	
" blue	40	42	
Sandrock, brown	42	63	
Sandrock, yellow, broken	63	64	19
Water stratum			
Sandrock, blue.	64	75	

Work started JAN 14 1978 Completed JAN 18 1978  
Date well drilling machine moved off of well JAN 18 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
[Signed] Proy W. Mutsaers Date 2/12, 1978  
(Drilling Machine Operator)  
Drilling Machine Operator's License No. 80

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
Name M-H Well Drilling Inc.  
(Person, firm or corporation) (Type or print)  
Address 755 N.W. Oak Creek Dr. Corv. Ore  
[Signed] Proy W. Mutsaers  
(Water Well Contractor)  
Contractor's License No. 237 Date Feb 12, 1978