NOTICE TO WATER WELL CONTRACTOR

The original and first TOY E C E VENTER WELL REPORT
of this report are to the contract of this report of thi

State Well No. 135 State Permit No.

(1) QWNER:	(10) LOCATION OF WELL:		
Name CAMP TADMOR - JOE MEPHERSON	County LIND Driller's well number		
Address 1185 HIAH LEBAUON ORC	14 14 Section / T. /3 S R. / E W.M.		
	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):			
New Well			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Sure.		
	and a color of		
Cable Jetted Domestic Industrial Municipal	Static level 54 ft. below land s	urface. Date 8/3/8/1/	
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date		
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing 6"		
6 "Diam. from O ft. to 119 ft. Gage 1250			
"Diam. fromft. to	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,		
	with at least one entry for each change of formation. Report each change in		
PERFORATIONS: Perforated? X Yes \(\square\) No.	position of Static Water Level and indicate prin	cipal water-bearing strata.	
Type of perforator used MIIIS KNIFE	MATERIAL	From To SWL	
Size of perforations /4 in. by 5 in.	Rep Soil	0 2	
18 perforations from 70 ft. to 96 ft.	Reo Clay Q 12" BASALT ChunKS	2 3 .	
perforations from ft. to ft.	RED SALVRY CLASS	3 20	
perforations from ft. to ft.	Res claustone	20 217	
(E) CODELIC	Blue elaystope	2/7 255	
(7) SCREENS: Well screen installed? Yes No	Blue BASAlt	255 285	
Manufacturer's Name			
Type Model No			
Diam. Slot size Set from ft. to ft.	A STATE OF THE STA	-	
Diam. Slot size Set from ft. to ft.	1	<u> </u>	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? Yes No If yes, by whom?		<u> </u>	
Yield: gal./min. with ft. drawdown after hrs.	· · · · · · · · · · · · · · · · · · ·	· -	
gar, min. won _ 10 diawabwii altei _ iiis.	The state of the second		
the way and water and the trust	t to the state of		
Testen WAIR UST. HOgen GOOID SLUTUATE	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
Bailer test gal./min. with/O'S ft. drawdown after / hrs.	. approx.		
Artesian flow g.p.m.	1.		
Temperature of water Depth artesian flow encountered ft.	Work started 8/24 1972 Complete		
(9) CONSTRUCTION:	Date well drilling machine moved off of well	8/28 1972	
Well seal-Material used Cement	Drilling Machine Operator's Certification:		
Well sealed from land surface to 28 ft.	This well was constructed under my Materials used and information reported	direct supervision.	
Diameter of well bore to bottom of seal in.	best knowledge and belief		
Diameter of well bore below seal	[Signed] Bar Date 9/1 , 19.72		
Number of sacks of cement used in well seal sacks	(Dillage Machine Operator)		
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No.		
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons			
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? V Yes 🗆 No Plugs Size: location ft.	Name JONESES DRILLING CO INC		
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address Jr. Nt. 2 130 X	120 LeGALON	
Method of sealing strata off	[Signed] Self Cont		
Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor)		
Gravel placed from ft. to ft.	Contractor's License No. 5/4 Date	-9// , 1972	