

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of the report
are to be filed with the

RECEIVED

WATER WELL REPORT
STATE OF OREGON
LINN
#2986

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

JAN 27 1978

(Please type or print)

State Well No. 138/44-32ad
State Permit No. _____

Do not write above this line)

(1) OWNER: SALEM, OREGON
Name WILLAMETTE NATIONAL Forest
Address P.O. Box 10607
EUGENE, OR 97401

(2) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):
Rotary Driven Domestic Industrial Municipal
Cable Jetted Irrigation Test Well Other
Dug Bored

CASING INSTALLED: Threaded Welded
6" Diam. from 0 ft. to 29 ft. Gage # 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS: Perforated? Yes No.
Type of perforator used _____
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS: Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " " "
" " " " "
Bailer test 20 gal./min. with 63 ft. drawdown after 2 hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION: Well seal—Material used cement
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 17 sacks
How was cement grout placed? press. grout

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:
County LINN Driller's well number 3/78
SE 1/4 NE 1/4 Section 32 T.13S R. 4E W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.
Depth at which water was first found 74 ft.
Static level 15 ft. below land surface. Date 1/13/78
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG: Diameter of well below casing Six
Depth drilled 80 ft. Depth of completed well 80 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil	0	2	
Gravel, med & clay, yellow	2	15	
Sandrock, brown w/Qtz	15	48	
Sandrock, blue	48	68	
" brown	68	70	
" blue	70	72	
" brown	72	74	
" Red broken water stratum	74	78	15
Sandrock, blue	78	79	
" brown	79	80	

Work started 1/11 1978 Completed 1/13 1978
Date well drilling machine moved off of well 1/13 1978

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Proy W. Mutschler Date 1/15, 1978
(Drilling Machine Operator)
Drilling Machine Operator's License No. 80

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name M-H Well Drilling Inc. (Type or print)
(Person, firm or corporation)
Address 7555 N.W. Oak Creek Dr. Corv. Ore
[Signed] Proy W. Mutschler (Water Well Contractor)
Contractor's License No. 237 Date Jan 15, 1978