## WATER WELL REPORT STATE OF OREGON

LINN 12993

## RECEIVED

JUL 9 1984

## WATER RESOURCES DEPT SALEM, OREGON

State Well No.	135/7E-30
----------------	-----------

State Permit No. .....

(1) OWNER:	(10) LOCATION OF WELL	<b>.:</b>		
Name U.S. FOREST SERVICE - COUGAR ZONE	County LINN	Driller's well 1	number D2	-212
Address FISH LAKE	4 4 Section 30	T. /35	R. 17 E	W.M.
City State OREGON	Tax Lot # Lot	Blk	Subdivis	ion
(2) TYPE OF WORK (check):	Address at well location: FISH A	AKE		
New Well ★ Deepening □ Reconditioning □ Abandon □				,
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Com	- ,	ell.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	39'		ft.
	Static level 9'		nd surface. Dat	
Rotary Air Driven Domestic Industrial Municipal Rotary Mud Dug Irrigation Test Well Other	Artesian pressure	lbs. per	square inch. D	
Rotary Mud Dug Irrigation Test Well Other Bored Thermal: Withdrawal Reinjection	(12) WELL LOG: Diameter	of well below c	asing	
(5) CASING INSTALLED: Steel Plastic	Depth drilled 150	ft. Depth of co	ompleted well	150 ft.
Threaded  Welded	Formation: Describe color, texture, grain thickness and nature of each stratum and for each change of formation. Report each	l aquifer penetı	rated, with at l	east one entry
"Diam. from	and indicate principal water-bearing stra	ıta.		
LINER INSTALLED:	MATERIAL		From To	SWL
ft. Gauge	Loam		Ó 3	
(6) PERFORATIONS: Perforated? □ Yes No	CLAY BROWN W/BOULDER	LS	3 //	
Type of perforator used	LAUA ROCK - DECOMPOSE	žO		
Size of perforations in. by in.	(WATER BEARING)		11 71	9'
perforations fromft. toft.	LAUM ROCK		71 15	00
perforations from ft. to ft.				
perforations from ft. to ft.				
(7) SCREENS: Well screen installed? ☐ Yes 🏋 No				
(7) SCREENS: Well screen installed? ☐ Yes XNo Manufacturer's Name				
Type Model No.				
Diam. Slot Size Set from ft. to ft.			<del></del>	
Diam. Slot Size Set from ft. to ft.				
(8) WELL TESTS:  Drawdown is amount water level is lowered below static level.	-			
below static level		-		
Wes a pump test made? X Yes □ No If yes, by whom? DRILLER				
gal./min. with 22 ft. drawdown after 5 hrs.				
" " "				
Air test gal./min. with drill stem at ft. hrs.				
Bailer test gal./min. with ft. drawdown after hrs.				
Arbasian flow g.p.m.				
Depth artesian flow encountered ft.	Work started 6-/3 198	Completed	i 6-22	<u>19 64</u>
(9) CONSTRUCTION: Special standards: Yes \(\sigma\) No	Date well drilling machine moved off of w	ell 6-	.25	19 8
Well seal—Material used LEMENT GROUT	Drilling Machine Operator's Cert	tification:	•	
Well sealed from land surface to	This well was constructed under	my direct su	pervision. Ma	aterials used
Diameter of well bore to bottom of sealin.	and information reported above are			
Diameter of well bore below seal	[Signed] (Drilling Machine Operato	or _	Date	∡S., 19ΩI
Number of sacks of cement used in well seal sacks  How was cement grout placed? RESSUEE GROUT	Drilling Machine Operator's License	No9	28	
How was cement grout placed?	Water Well Contractor's Certifica		<del></del>	
	This well was drilled under my		and this repo	ort is true to
Was pump installed? Type HP Depth ft	the best of my knowledge and belief	f. , , 🖊	<b></b>	
Was a drive shoe used? ★Yes □ No Plugs Size: location ft.	Nome Willes AFT 11 10 11 /	M6 C	<b>`</b>	e or print)
Did any strata contain unusable water?   Yes No	(ii oncom, iiii or conjunction)	Hic 1	IR. Lo	BAUDW
Type of Water? depth of strata		Lus. F		٠٠٠٠٠٠ ١٠٠٠٠٠
Method of sealing strata off		er Well Contracto		
Was well gravel packed? ☐ Yes XNo Size of gravel:				19.64
Gravel placed from				,