NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

1	WATER	WELL REP	OO E	IVE	D	Well No	45/	4W-6
4	3 (Plea	E OF OREGO	"MAY 3 Je ei	0 1973 VGINI	E Estate	Permit No.		

of well completion.	SALEM OREGON
(1) OWNER:	(10) LOCATION OF WELL:
Name Charles Jensen	County // Driller's well number /89
Address Route 1. Box/41	NW 14 SE 14 Section 6 T. 14-5 R. 4-W W.M.
Halsey Ovegon	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
	1
New Well Deepening Reconditioning Abandon	
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 19 ft.
Rotary Driven Domestic Industrial Municipal	Static level 122 ft. below land surface. Date 5-24-
Cable Jetted Irrigation Test Well Other	
bleed	Artesian pressure Ibs. per square inch. Date
5) CASING INSTALLED: Threaded Welded W	(19) THEFT TOO.
10 " Diam. from + 6" ft. to 30 ft. Gage 250	(12) WELL LOG: Diameter of well below casing
"Diam. fromft. toft. Gage	Depth drilled 30 ft. Depth of completed well 30 ft.
" Diam. from	Formation: Describe color, texture, grain size and structure of materials;
Didili Holl manifest to to mountain the Gast manifest	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
(6) PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used Cutting torch	MATERIAL From To SWL
	7 0 1
Size of perforations // in. by // in. O perforations from OO ft. to SO ft.	Top Sail 0 3
	Sand + Grave - tight 3 /8
perforations from ft. to ft.	Sand + Grave) - lase 18 27 /2/2
perforations from ft. to ft.	Sand & Gravel - tight 27 30
(7) SCREENS: Well screen installed? Yes No	
Manufacturer's Name	
Type Model No	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
Jani Blot size	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	The state of the s
Was a pump test made? Yes No If yes, by whom? driller	
gal./min. with // ft. drawdown after / hrs.	
" "	#- #- 1
<i>"</i> " " " " " " " " " " " " " " " " " "	Section 1997 and 1997
Bailer test gal./min. with ft. drawdown after hrs.	
sian flow g.p.m.	The second secon
perature of water 5 Po Depth artesian flow encounteredft.	W 11 11 11 11 11 11 11 11 11 11 11 11 11
Deput artesian now encountered	Work started May 14 19 73 Completed May 24 1975
(9) CONSTRUCTION:	Date well drilling machine moved off of well May 24 19/3
Well seal-Material used Cement - Bentonite	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision.
Diameter of well bore to bottom of seal	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below sealin.	
Number of sacks of cement used in well sealsacks	[Signed] Clayton Haar Date May 29, 1975
Number of sacks of tement used in well seal sacks	Drilling Machine Operator's License No.
Brand name of bentonite	
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:
of water	This well was drilled under my jurisdiction and this report is
Was a drive shoe used? Yes □ No Plugs Size: location ft.	true to the best of my knowledge and belief.
/ *	Name Clay 5 Well Drilling
Old any strata contain unusable water? Yes No	Person, firm or corporation) Pf 2 R V YIIR- FURDING (Dec 07/1/2)
Type of water? depth of strata	Address Ata, Dax 1118-Lugene, Ney790
Method of sealing strata off	[Signed] Clayton Haan
Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor)
Fravel placed fromft. toft.	Contractor's License No. 502 Date May 29, 197
/TIGH AND WALLE OF	TARING TO ATTORNEY AND