

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED WATER WELL REPORT

WATER RESOURCES DEPARTMENT,

SALEM, OREGON 97310

within 30 days from the date of well completion.

STATE OF OREGON

(Please type or print)

AUG 11 1977

WATER RESOURCES DEPT. (Do not write above this line)

LINN 13774

State Well No. 145/4W-16

State Permit No.

(1) OWNER:

SALEM, OREGON

Name Kurt Kaynor

Address Rt. 1, Box 105, Halsey, Ore. 97348

(2) TYPE OF WORK (check):

New Well [X] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Driven [ ]
Cable [X] Jetted [ ]
Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ]
Irrigation [X] Test Well [ ] Other [ ]

(6) CASING INSTALLED:

Threaded [ ] Welded [X]

8" Diam. from +1' ft. to 32'6" Gage 250 Wall

" Diam. from " ft. to " ft. Gage "

" Diam. from " ft. to " ft. Gage "

(8) PERFORATIONS:

Perforated? [X] Yes [ ] No.

Type of perforator used Acetylene Torch

Size of perforations 1/2 in. by 12 in.

56 perforations from 22'06" ft. to 30'06" ft.

perforations from " ft. to " ft.

perforations from " ft. to " ft.

(7) SCREENS:

Well screen installed? [ ] Yes [X] No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from " ft. to " ft.

Diam. Slot size Set from " ft. to " ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [ ] Yes [X] No If yes, by whom?

gal./min. with " ft. drawdown after " hrs.

" " " "

" " " "

Bailer test 120 gal./min. with 2 ft. drawdown after 1 hrs.

Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered " ft.

(9) CONSTRUCTION:

Well seal—Material used Bentonite

Well sealed from land surface to 18 ft.

Diameter of well bore to bottom of seal 12 in.

Diameter of well bore below seal 8 in.

Number of sacks of XXXX Bentonite used in well seal 2 2/3 sks. sacks

How was cement grout placed?

Was a drive shoe used? [X] Yes [ ] No Plugs " Size: location " ft.

Did any strata contain unusable water? [ ] Yes [X] No

Type of water? " depth of strata "

Method of sealing strata off "

Was well gravel packed? [ ] Yes [X] No Size of gravel: "

Gravel placed from " ft. to " ft.

(10) LOCATION OF WELL:

County Linn Driller's well number

1/4 1/4 Section 16 T. 14S R. 4W W.M.

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 25 ft.

Static level 13 ft. below land surface. Date 7-20-77

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled 32 ft. Depth of completed well 32 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Brown Clay, Loose Coarse Gravel, Packed Sand & Gravel.

Work started 7-19 19 77 Completed 7-20 19 77

Date well drilling machine moved off of well 7-20 19 77

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] [Signature] Date 7-20, 19 77

Drilling Machine Operator's License No. 1152

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Merle Warren Well Drilling

(Person, firm or corporation) (Type or print)

Address Rt. 1, Box 84, Tangent, Ore. 97389

[Signed] [Signature] (Water Well Contractor)

Contractor's License No. 182 Date 7-20, 19 77