NOTICE TO WATER WELL CONTRACTOR. The original and first copy of this report are to be filed with the are to be filed with the state of oregon state of oregon.

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date

JUL 3-01979 (Please type or print)

13982

State Well No.	145/7E-5
- <i>!</i>	
State Permit N	0

of well completion WATER RESOURCES DEPT. above this line)

(1) OWNER: SALEM, UKEGUN	(10) LOCATION OF WELL:	and the same of th
Name Santiam 7 sh & gome a shoo	County 4/W Driller's well number	• -
Address 2/ A	, t	· · · · · · · · · · · · · · · · · · ·
- Congression - Constitution - Const	1/4 Section T. T. R.	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner	-
	S.E.G. West From lake 93'	
New Well Deepening Reconditioning Abandon	9101669	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	f t
Rotary Driven Domestic Industrial Municipal Domestic	Static level ft. below land surface. Date	21270
Cable Jetted Dug Bored Irrigation Test Well Other	3	511517
	Artesian pressure lbs. per square inch. Date	
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below entire	Z.
	The state of well below cashing	*
" Diam, fromft. toft. Gage		ft.
ft. Gage	Formation: Describe color, texture, grain size and structure of and show thickness and nature of each stratum and aquifer	materials;
6) PERFORATIONS: Perforated? The Perforated?	With at least one entry for each change of formation. Report each	change in
	position of Static Water Level and indicate principal water-bea	ring strata.
Type of perforator used	MATERIAL From To	SWL
Size of perforations in. by in.	Lan Soil Rlack 0 5	
perforations from AUft 10 1979 ft.	Clay Wellow 2 9	
perforations from WATER RESCURCES DEPT		
perforations from JALLY 18 to PROCESS ft.	Class Gellou- + Bouldon 9 12	
(F) CODEDIC	00	
wen bereen mistance. 165 160	Gray lave Hard 12 44	
Manufacturer's Name		
Type Model No.	gray lava Broken 64 66	
Diam. Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft.	Fray lawa Hand 66 89	· · ·
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
	Red Lava Soft 8991	
Was a pump test made? Yes \(\subseteq \) No If yes, by whom? Delle		
Yield: 20 gal./min. with 30 ft. drawdown after hrs.	Iced land Hord 71 104	1
n . , , , , , , , , , , , , , , , , , ,	red borrow Sand 104/05	
H H H H H H H H H H H H H H H H H H H	5 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-
Bailer test gal./min. with ft. drawdown after hrs.	Red lawa Hord 105 107	
Artesian flow g.p.m.		
Temperature of water Depth artesian flow encounteredft.		 _
Topias de constant de la cincontrete del cincontrete de la cincont	Work started 19 Completed	1929
(9) CONSTRUCTION:	Date well drilling machine moved off of well	19 > 9
Well seal—Material used	Drilling Machine Operator's Certification:	
Well sealed from land surface toft.	This well was constructed under my direct supe	rvision.
Diameter of well bore to bottom of sealin.	Materials used and information reported above are trubest knowledge and belief.	e to my
Diameter of well bore below sealin.	[Signed] Rate of Machine Operator) Date 7 - 26	1076
Number of sacks of cement used in well seal sacks		, 18//.
How was cement grout placed? Though Gracheric	Drilling Machine Operator's License No. 2.10	*********
A CONTRACTOR AND A CONT		
	Water Well Contractor's Certification:	the second
	This well was drilled under my jurisdiction and this true to the best of my knowledge and belief.	report is
Was a drive shoe used? Yes 🛘 No Plugs Size: location ft.	Name BOBS, WELL DRILLING! NC.	
Old any strata contain unusable water? 🔲 Yes 🔀 No	(Person, firm or corporation) (Type or pr	int)
Type of water?depth of strata	Address 465 Wag on 2 hell In Lebas	-
Method of sealing strata off	18 Ca. 14	- martin for a service of the
Y	[Signed] Apober 6 tilbul	•
	(Water Well Contractor)	
Gravel placed from	Contractor's License No. 2	, 19,7.9
ATOM A TOWN THE A TOWN		•