

NOTICE TO WATER WELL CONTRACTOR
 The original and first copy of this report
 are to be filed with the
 WATER RESOURCES DEPARTMENT,
 SALEM, OREGON 97310
 within 30 days from the date
 of well completion.

RECEIVED
 STATE OF OREGON
 (Please type or print)
 (Do not write above this line)

MAR 15 1978
 State Well No. 153/3W-9
 State Permit No.

LINN WATER WELL REPORT
 14021

SALEM, OREGON

(1) OWNER:
 Name Bob McRyan
 Address Harrisburg Ore

(2) TYPE OF WORK (check):
 New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: Rotary Cable Dug Driven Jetted Bored (4) PROPOSED USE (check): Domestic Industrial Municipal Irrigation Test Well Other

CASING INSTALLED:
 6" Diam. from 0 ft. to 40 ft. Gage 252
 " Diam. from " ft. to " ft. Gage
 " Diam. from " ft. to " ft. Gage

PERFORATIONS:
 Perforated? Yes No.
 Type of perforator used
 Size of perforations in. by in.
 perforations from ft. to ft.
 perforations from ft. to ft.
 perforations from ft. to ft.

(7) SCREENS:
 Well screen installed? Yes No
 Manufacturer's Name
 Type Model No.
 Diam. Slot size Set from ft. to ft.
 Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:
 Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?
 Yield: gal./min. with ft. drawdown after hrs.
 " Tested w/air 14 gpm
 Bailer test gal./min. with 37 ft. drawdown after 1 hrs.
 Artesian flow g.p.m.
 Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:
 Well seal—Material used Cement
 Well sealed from land surface to 25 ft.
 Diameter of well bore to bottom of seal 10 in.
 Diameter of well bore below seal 6 in.
 Number of sacks of cement used in well seal 18 sacks
 How was cement grout placed? poured

Was a drive shoe used? Yes No Plugs Size: location ft.
 Did any strata contain unusable water? Yes No
 Type of water? depth of strata
 Method of sealing strata off
 Was well gravel packed? Yes No Size of gravel:
 Gravel placed from ft. to ft.

(10) LOCATION OF WELL:
 County Linn Driller's well number
 1/4 1/4 Section 9 T. 15S R. 3W W.M.
 Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.
 Depth at which water was first found 42 ft.
 Static level 11 ft. below land surface. Date 2/3/78
 Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing 6"
 Depth drilled 48' ft. Depth of completed well 48' ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Topsoil	0	3	
Brown clay	3	10	
Cemented gravel	10	22	
sand & gravel	22	29	
Cemented gravel	29	42	
sand & gravel	42	48	

Work started 2/3/78 19 Completed 2/3/78 19
 Date well drilling machine moved off of well 2/3/78 19

Drilling Machine Operator's Certification:
 This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
 [Signed] Robert Sauter Date 2/6, 1978
 (Drilling Machine Operator)
 Drilling Machine Operator's License No. 948

Water Well Contractor's Certification:
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
 Name Bert Jones (Type or print)
 (Person, firm or corporation)
 Address 29404 Santiam Hwy Lebanon Ore
 [Signed] Bert Jones (Water Well Contractor)
 Contractor's License No. 574 Date 2/6/78, 19