

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON (Please type or print) (Do not write above this line) 14115

State Well No. 15/4w-10 State Permit No.

RECEIVED OCT 31 1968

Need see No 4

STATE ENGINEER

(1) OWNER: SALEM, OREGON Name Bowers DesJardins Address Harrisburg Oregon

(2) TYPE OF WORK (check): New Well [x] Deepening [] Reconditioning [] Abandon []

(3) TYPE OF WELL: (4) PROPOSED USE (check): Rotary [] Driven [] Cable [x] Jetted [] Dug [] Bored [] Domestic [] Industrial [] Municipal [x] Irrigation [] Test Well [] Other []

(5) CASING INSTALLED: 10" Diam. from 7.5' ft. to 41' ft. Gage 250

(6) PERFORATIONS: Type of perforator used Torch Size of perforations 3/4 in. by 6 in. 300 perforations from 21 ft. to 42 ft.

(7) SCREENS: Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well. Static level 16 ft. below land surface Date 8/2/68 Artesian pressure lbs. per square inch Date

(9) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [x] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs.

(10) CONSTRUCTION: Well seal—Material used cement Depth of seal 18 ft. Diameter of well bore to bottom of seal 12 in. Were any loose strata cemented off? [] Yes [] No Depth Was a drive shoe used? [x] Yes [] No Did any strata contain unusable water? [] Yes [x] No Type of water depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL: County LINN Driller's well number 1/4 Section 10 T. 15S R. 4W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG: Diameter of well below casing 10 Depth drilled 42 ft. Depth of completed well 42 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: Lean Sand gravel clay (0-6), Boulder gravel (6-16), Sand (16-18), Sand gravel (18-42). Includes handwritten note: 116' casing overall.

Work started 8/1 1968 Completed 8/2 1968 Date well drilling machine moved off of well 8/2 1968

Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] D. D. Zehner Date 8/2, 1968 (Drilling Machine Operator)

Drilling Machine Operator's License No. 24

Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME W. W. DRILLING & PUMP SER. (Person, firm or corporation) (Type or print)

Address 2320 MAIN - Spfld.

[Signed] Walt Wilson (Water Well Contractor)

Contractor's License No. 268 Date 8/9, 1968