NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER WELL REPORT

LINN
1427 State Well No. 14/5w-13 Q

State Permit No.

STATE ENGINEER, SALEM, GREGON 9010 L L L Within 30 days from the sate of well completion JUL 26 1968

STATE OF OREGON

(Please type or print)

no not write above this line)

G-4578

OWNER: STATE ENGINEER	(11) LOCATION OF WELL:		
T) OWNER: Name Mr. A. A. Wheeler EM OREGON	County Line Barriller's well numb		
Address Rt. 3, Box 681, Junction City, Oregon	14 14 Section 13 T. 14S R. 5W W.M.		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision co	orner	
New Well [3] Deepening □ Reconditioning □ Abandon □ □ If abandonment, describe material and procedure in Item 12.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below)
Cable	Depth drilled 27 ft. Depth of completed	d well 27	ft.
Dug Bored Irrigation 🔀 Test Well Other	Formation: Describe color, texture, grain size and	structure of ma	aterials;
CASING INSTALLED: Threaded □ Welded □	and show thickness and nature of each stratum with at least one entry for each change of formatic	and aquifer pen	etrated,
6. " Diam, from 0. ft. to 27. ft. Gage 250.	in position of Static Water Level as drilling process	ds. Note drillin	g rates.
" Diam. fromft. toft. Gage	MATERIAL F	rom To	swL
ft, Gage	soil	0 8	
	tight sand & gravels	8 20	
PERFORATIONS: Perforated? Yes No.	sand	20 22	
Type of perforator used torch	sand & small gravels	22 27	91
Size of perforations 3/8 in. by 6 in.			
42 perforations from 2616" ft. to 22 ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations fromft, toft.	:		
(7) SCREENS: Well screen installed? ☐ Yes ☑ No			
Manufacturer's Name			
Type Model No	5.42		
Diam. Slot size Set from ft. to ft.			
Diam Slot size Set from ft. to ft.			
(9) WATER LEVEL, Completed well			
(8) WATER LEVEL: Completed well.			
Static level 9 ft. below land surface Date 7-17-68			t e
k sian pressure lbs. per square inch Date			<u> </u>
(9) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? Types I No If yes, by whom? Driller	7.77	7 17	1968
Viald: 300 gal./min. with 1 ft. drawdown after 1 hrs.	Work started 7-17 19 68 Completed	<u>7⊷17</u> 7–17	1968
" " "	Date well drilling machine moved off of well	1-71	1900
" " "	Drilling Machine Operator's Certification:		
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my directials used and information reported, above	ct supervision.	. Mate- ny best
Artesian flow g.p.m. Date	knowledge and belief		
Temperature of water	[Signed] (d) Selle	ate7-17	19.68
	(Drilling Machine Operator)		
(10) CONSTRUCTION:	Drilling Machine Operator's License No	386	
Well seal—Material used Bentonite			
Depth of seal	Water Well Contractor's Certification: This well was drilled under my jurisdict	tion and this r	enort is
	true to the best of my knowledge and belief.	"OH WHE BILLD I	opore 19
Were any loose strata cemented off? Yes No Depth	NAME Pitcher Pump & Drilling Co.		
Was a drive shoe used? ☐ Yes ☑ No	(Person, firm or corporation)	(Type or print)	
Did any strata contain unusable water? Yes No	Address 255 W. 5th St., Junction	City, Ore	gon
Type of water? depth of strata	1 0 1/() 4 1		
Method of sealing strata off	[Signed] (Water Well Contracto	lof	***************************************
Was well gravel packed? ☐ Yes K No Size of gravel:	The second secon		10.60
Gravel placed from ft. to ft.	Contractor's License No. 494. Date	штут.(,	, 19.00