

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the
STATE ENGINEER, SALEM, OREGON
within 30 days from the date of well completion.

RECEIVED
JUN 3 1968

WATER WELL REPORT

STATE OF OREGON
STATE ENGINEER (Please type or print)
SALEM, OREGON Do not write above this line

State Well No. 9/1^W-29
State Permit No. 3022

(1) OWNER:

Name Floyd Becker
Address Rt. 2 Seiad

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
6" Diam. from 0 ft. to 128 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? Yes No.
Type of perforator used Oxy & Acet.
Size of perforations 3/8 in. by 8 in.
28 perforations from 108 ft. to 128 ft.
15 perforations from 45 ft. to 60 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 40 ft. below land surface Date May 18-68
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Y gal./min. with ft. drawdown after hrs.
" " " " " "
" " " " " "
Bailer test 15 gal./min. with 70 ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used Cement
Depth of seal 20 ft.
Diameter of well bore to bottom of seal 12 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Linn Driller's well number 295
1/4 1/4 Section 29 T. 9S R. 14W W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 4
Depth drilled 128 ft. Depth of completed well 128 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
Soil Small Gravel	0	3	
Claystone Soft Sandy	3	32	
Med Gravel & Clay	32	58	20
Tuffstone	58	80	20
Sandstone Brown	80	95	20
Claystone Grey	95	120	20
Claystone Green	120	125	20
Rock Black	125	128	40

Work started May 14 1968 Completed May 18 1968
Date well drilling machine moved off of well May 18 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] William P. Long Date May 18, 1968
(Drilling Machine Operator)
Drilling Machine Operator's License No. 117

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Long Drilling
(Person, firm or corporation) (Type or print)
Address 4190 Fletcher Rd. NE Salem, Oregon
[Signed] William P. Long
(Water Well Contractor)
Contractor's License No. 75 Date May 18, 1968