NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER. SALEM 10. OREGON
within 30 days from the date
of well completion.

Unn 3823

WATER WELL REPORT

STATE OF OREGON (Please type or print)

or well completion.		State Permit No		·····
(1) OWNER: Name CITY OF SCIO	# /	(11) WELL TESTS: Drawdown is amount to lowered below static lewar a numb test made? Tyes No. If yes, by whom	evel	l is
Address SCID, OREGON		Yield: 585 gal./min. with 90 ft. drawdow	n after	hrs.
		1)))		"
(9) LOCATION OF WELL.		33 31 sp		**
(2) LOCATION OF WELL:		Bailer test gal./min. with ft. drawdov	vn after	hrs.
County L/MM Driller's well number		Artesian flow g.p.m. Date 4-15-48		
NW 14 NE 14 Section 18 T.	/OS R. / W W.M.	Temperature of water Was a chemical analysis r	nade? 🔲 🤊	Yes 🗌 No
SW COR. OF SOUTH & WES	ST STREETS	(12) WELL LOG: Diameter of well below completed with the diameter of the diame		_ 7
1900 W. \$ 200'S. of NE	COR. SEC. 18	Formation: Describe by color, character, size of materic show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each c	al and stru	ecture, and ial in each formation.
		MATERIAL	FROM	то
ATTINI OF THORIZ (1 1)				
(TYPE OF WORK (check): Well ☑ Deepening □ Reconditioning □ Abandon □ abandonment, describe material and procedure in Item 12.		TOP SOIL	0	3
		LOOSE GRAVEL/YELLOW MUD	3	15
		BLUE CLAY	15	58
(4) PROPOSED USE (check):	(5) TYPE OF WELL:	CONGLOMERATE, BLUE	58	66
Domestic Industrial Municipal	Rotary 🗆, Driven 🗆	BLUE CLAY	66	9.7
Irrigation Test Well Other	Cable [7] Jetted □ Dug □ Bored □	GRAVEL & MUD	97	103
	Dug [] Boted []	BIVE SHALE	103	126
(6) CASING INSTALLED: Thr	eaded □ Welded □	GRAVEL (WATER BEARING)	126	133
12 " Diam. from 0 ft. to 2	67 ft. Gage	STICKY CLAY	1.3.3	140
		GRAVEL (WB)	170	158
ft. Gage ft. Gage		BLUE CLAY	158	178
(E) DEDUCO AMIONG		GRAVEL	202	202
	forated? 🗹 Yes 🗌 No	CAAT	aua	207
Type of perforator used			 	
Size of perforations in. by perforations from	in.		†	
perforations from 28			1	
perforations from			-	1
perforations from 180				<u> </u>
perforations from 187 ft. to 202 ft.				
periorations from	16. 00			
(8) SCREENS: Well screen ins	stalled 🗌 Yes 🔲 No			
Manufacturer's Name	***************************************		<u> </u>	<u> </u>
the Mo	del No			
Diam Slot size Set from	ft. to ft.	Work started 19 . Completed 9	///	19 3
Diam. Slot size Set from ft. to ft.		Date well drilling machine moved off of well		19
(9) CONSTRUCTION:		(13) PUMP:		
Well seal—Material used in seal		Manufacturer's Name PEERLESS / URBI		*******************************
Depth of sealft. Was a packer used?		Type: DEEP WELL TURBINE	H.P3	0
Diameter of well bore to bottom of seal in.		400 GPM	· · · · ·	
Were any loose strata cemented off? ☐ Yes ☐	No Depth	Water Well Contractor's Certification:		
Was a drive shoe used? ☐ Yes ☐ No		This well was drilled under my jurisdiction	and this	report is
Was well gravel packed? ☐ Yes ☐ No Size	of gravel:	true to the best of my knowledge and belief.		
Gravel placed from ft. to	ft	NAME GEO. W. SIMMONS		
Did any strata contain unusable water? Yes No		(Person, firm or corporation) (Type or print)		
Type of water? Depth of strata		Address LEBANON, ORE.		
Method of sealing strate off		Duilling Machine Openstants Thomas No.		
(10) WATER LEVELS:		Drilling Machine Operator's License No		
Static level 19 ft. below land	surface Date	[Signed](Water Well Contractor)	·····	·····
Artesian pressure lbs. per square inch Date		Contractor's License No		19
		1		, +V