ORIGINAL File Original and Duplicate with the STATE ENGINEER. MAY 1 5 1958 STATE OF	OPECON JOIN	
SALEM, OREGON' STATE LAGINFER	State Permit No.	
(1) OWNER:	lowered below static level	. 40
Name (9KIN L. 8K L VET9/V-1939317)	Was a pump test made? Yes No If yes, by whom?	
Address Scio, Oregon	Yield: gal./min. with ft. drawdown after	hrs.
0 14 22	" " " "	. ,,
(2) LOCATION OF WELL: G 1033	Bailer test 40 gal./min. wiff botto madown after	
County Linn Owner's number, if any—		hrs.
1/4 1/4 Section 23 T. 10 R. 2 W W.M.	Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made?	es 🗆 No
Bearing and distance from section or subdivision corner	Temperature of water was a chemical analysis made.	es No
	(12) WELL LOG: - Diameter of well	inches.
	Depth drilled 27 ft. Depth of completed well 27	ft.
	Formation: Describe by color, character, size of material and structure show thickness of aquifers and the kind and nature of the material	cture, and
	show thickness of aquiters and the kind and nature of the materi stratum penetrated, with at least one entry for each change of f	formation.
*	MATERIAL FROM	то
TYPE OF WORK (-LL.).	Top soil	0
TYPE OF WORK (check):	river bolders 8	16
New Well Deepening □ Reconditioning □ Abandon □ If abandonment, describe material and procedure in Item 11.		20
if abandonment, describe material and procedure in Item 11.		
(4) PROPOSED USE (check): (5) TYPE OF WELL:	yellow clay 20	27
Domestic ☐ Industrial ☐ Municipal ☐ Rotary ☐ Driven ☐		
Cable T Jetted		
gation Test Well M Other Dug Bored		
(6) CASING INSTALLED: Threaded □ Welded 🔀		
8 "Diam from 0 ft. to 20 ft. Gage std.		 -
" Diam. from ft. to ft. Gage		
"Diam. from ft. to ft. Gage		· · · ·
Diani, 110iii		-
(7) PERFORATIONS: Perforated? X Yes No		
Type of perforator used		
SIZE of perforations in. by 8 in.		
60 perforations from6 ft. to20 ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
ft. to ft.		
		
(8) SCREENS: Well screen installed ☐ Yes ☑ No		
facturer's Name		
Type Model No.		
Diam. Slot size Set from ft. to ft.	Work started 4 - 28 1958. Completed - 29	10=0
Diam, Slot size Set from ft, to ft.	Work started 4 - 28 1958. Completed - 29	1958
CONSTRUCTION:	(13) PUMP:	
well gravel packed? Yes No Size of gravel:	Manufacturer's Name	
Gravel placed from ft. to ft.	Type: H.P.	
Was a surface seal provided? Yes No To what depth? ft.	1,50	
Material used in seal—	Well Driller's Statement:	
Did any strata contain unusable water? 🗌 Yes 🔬 No	This well was drilled under my jurisdiction and this	report is
Type of water? Depth of strata	true to the best of my knowledge and belief.	
Method of sealing strata off	NAME Klaus & Roomley Dwilliam Co	
	NAME Klaus & Beagley Drilling Co. (Type or prin	nt)
(10) WATER LEVELS:	Address 1515 Walnut, Albany, Oregon	
Static level 71 ft. below land surface Date 4- 29 -58		7
Artesian pressure	Driller's well number	
Log Accepted by:	Louis Ed Boan XIII	•
	[Signed] (Well Driller)	
[Signed] Orin Daw Date april 29, 19.58	License No. 208 Date 5 -5	19.58
(Onnua)		.,,
(USE ADDITIONAL S	SHEETS IF NECESSARY)	

10/2w-23D(2)