NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be    100   10	LL REPORT & CEIVE M		
STATE ENGINEER, SALEM, OREGON 2310	FOREGON NOV 1 4 1768 ell above this line STATE EASIS Reme	10/2w-28db	
SEAUL ENVIRON	5709 SALEM. OREGON		
(1) OWNER: SALEM OREGON	(11) LOCATION OF WELL:		
Name MARVIN GLASER	County L/A/N Driller's well n	umher	
Address Rt. 3 Box 85 Scio, OBGON	¼ Section 25 T. / 6		
	Bearing and distance from section or subdivision		
(2) TYPE OF WORK (check):  New Well Deepening Reconditioning Abandon	NORTHEAST CORNER	· · · · · · · · · · · · · · · · · · ·	
If abandonment, describe material and procedure in Item 12.		-10	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well	211	
Rotary Driven Domestic Maintenant Municipal Domestic Maintenant Municipal Domestic			
Cable   Jetted     Domestic   Industrial   Municipal			
CASING INSTALLED: Threaded Welded W. Diam. fromOft. toSft. Gage	Formation: Describe color, texture, grain size and show thickness and nature of each stratt with at least one entry for each change of form	um and aquifer penetrated, nation. Report each change	
" Diam. from ft. to ft. Gage	in position of Static Water Level as drilling pr	T	
" Diam. from ft. to ft. Gage	MATERIAL	From To SWL	
DEDEOD A MIONG.	SAND GRAVEL Boulde	0 20	
Type of perforator used ACETYLENE To PCH	YEllow CLAY Soil		
Size of perforations 3111 in. by in.	S'ANY YERAUEL	20 25	
6 perforations from 22 ft. to 25 ft.			
perforations from ft. to ft.			
perforations from ft. to ft.		,	
perforations from ft. to ft.			
perforations from ft. to ft.			
(7) SCREENS: Well screen installed?  Well screen installed?  Yes XNo			
TypeModel No.		13.	
Diam. Slot size Set from ft. to ft.	=	1,754	
Diam. Slot size Set from ft. to ft.			
(8) WATER LEVEL: Completed well.			
Static level 16 ft. below land surface Date 9-/1-68			
A sian pressure lbs. per square inch Date			
(9) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? Yes I No If yes, by whom? Lin, White	·		
Yield: 60 gal./min. with 2 ft. drawdown after 2 hrs.	Work started 9-10 1965 Complet	ed 9 - 11 1968	
" " "	Date well drilling machine moved off of well	9-11 1968	
H $A$	Drilling Machine Operator's Certification:		
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my dirials used and information reported appropriate the construction of t	rect supervision. Mate-	
Artesian flow g.p.m. Date	knowledge and belief.	e are true to my best	
Temperature of water 54 Was a chemical analysis made?  Yes No	[Signed] Beamen a leki	Coto 9-14-1068	
(10) CONSTRUCTION:	(Drilling Machine Operator)	The state	
Well seal—Material used OEMENT GROUT	Drilling Machine Operator's License No	544	
Depth of sealft.	Water Well Contractor's Certification:		
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is		
Were any loose strata cemented off?  Yes X No Depth	true to the best of my knowledge and belief.  NAME BOBS WELL OFIZING		
Was a drive shoe used? A Yes \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(Person, firm or corporation)	(Type or print)	
Did any strata contain unusable water?   Yes No	Address 465 WAGON WhEEL	Drive LEBANON	
Type of water? depth of strata	A D D D D		
Method of sealing strata off	[Signed Laborate Cathale)		
Was well gravel packed? ☐ Yes 🌠 No Size of gravel:	(Water Well Contrac	, 1	
Gravel placed fromft.	Contractor's License No	9-14 1968	