NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report
are to be filed with the

WATER WELL REPORT

STATE OF OREGON WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310 VATER RESOURCE (Please type or print)
within 30 days from the date SALEM. ( Defnot write above this line) of well completion.

State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:
Name Clifton Plagmann	County Linn Driller's well number 60678K
Address Rt. 2 Box 343	NW 14 SE 14 Section 29 T. 10s R. 2W W.
Albany, Oregon 97321	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	and the second poored of baselvision content
New Well 🔀 Deepening 🗌 Reconditioning 🗋 Abandon 🗋	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 22
Rotary Driven Domestic Dindustrial Description	
Cable	200 0/ 201
	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing 12"
12 " Diam. from 0 ft. to 32 ft. Gage •250	Doubt dailed 20
ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materia
	and show thickness and nature of each stratum and aquifer penetration
PERFORATIONS: Perforated? Yes   No.	with at least one entry for each change of formation. Report each change position of Static Water Level and indicate principal water-bearing stra
Type of perforator used torch	
Size of perforations $\frac{1}{4}$ in. by $\frac{1}{4}$ in.	
20 21 30	brown clay & loose gravel 0 9 coarse sand & medium gravel 9 13
perforations from ft. to ft.	coarse sand & medium gravel 9 13 brown sandstone 13 15
perforations from ft. to ft.	medium & small gravel 15 32
/E) CODETING	district States
(7) SCREENS: Well screen installed? ☐ Yes 🗗 No	
Manufacturer's Name	
Type         Model No.           Diam.         Slot size         Set from         ft. to         ft.	
Diam. Slot size Set from ft. to ft.	
23	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? ☐ Yes ☒ No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" " " " "	·
" " "	
air	
A-4-2- M	
perature of water 48 Depth artesian flow encountered ft.	Work started 6/27 19 78 Completed 6/28 1978
(9) CONSTRUCTION:	Date well drilling machine moved off of well 6/28 1978
Well seal—Material used <u>cement</u>	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision
Diameter of well bore to bottom of seal16in.	Materials used and information reported above are true to me best knowledge and belief
Diameter of well bore below seal12 in.	[Signed] Date 6/28 , 1978
Number of sacks of cement used in well seal	
How was cement grout placed? hand mixed & placed	Drilling Machine Operator's-License No. 951
All the state of t	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report
Was a drive shoe used? 🏿 Yes 🗌 No Plugs Size: location ft.	true to the best of my knowledge and belief.
Did any strata contain unusable water?  Yes No	Name Schoen Electric & Pump
Type of water? depth of strata	(Person, firm or corporation) (Type or print)  Address 626 W Queen, Albany, Oregon 97321
Method of sealing strata off	
	[Signed] Jany College
	(Water Well Contractor)
Gravel placed from ft. to ft	Contractor's License No. 513 Date, 19.