NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with VE DATER WELL REPORT
STATE OF OREGON

WATER RESOURCES DEPAR SALEM, OREGON 97310

within 30 days from the date NOV 301978 of well completion. (Please type or print) (Do not write above this line)

WATER RESOURCES DEPT.			
1) OWNER: SALEM. OREGON	(10) LOCATION OF WELL:		
Name Dee Chambers	County Linn Driller's well nu	mber	
Address Rt. 2, Box 175 Cooper Rd., Albany, Or	% % Section 5 T. 10S	r. 3W w.m.	
97321	Bearing and distance from section or subdivision	on corner	
(2) TYPE OF WORK (check):			
New Well 💆 Deepening 🛘 Reconditioning 🗖 Abandon 🖂		· ·	
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 24 ft.		
Rotary Driven Domestic Industrial Municipal	Static level 16'06" ft. below land s	urface Date 9-6-78	
Cable N Jetted Domestic Industrial Maintipal Dug Bored Irrigation Test Well Other	100000	urrace. Date	
Doted	Artesian pressure lbs. per square	e men. Date	
CASING INSTALLED: Threaded Welded X	(12) WELL LOG: Diameter of well below casing 10 ¹¹		
10 " Diam. from +06" ft. to 35'02"ft. Gage 250Wall	Depth drilled 36 ft. Depth of completed well 36 ft.		
" Diam, from ft. to ft. Gage	Formation: Describe color, texture, grain size a		
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation, Report each change in		
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin	_	
Type of perforator used Acetylene Torch	MATERIAL	From To SWL	
	Top Soil	0 2	
Size of perforations $\frac{1}{2}$ in. by $\frac{1}{2}$ in.	Loam	2 8	
50 perforations from 23 ft. to 33 ft.	Brown Sandy Clay & Gravel	8 17	
perforations fromft. toft.	Dirty Gravel	17 22	
pertorations from management for W management 20	Brown Sand & Gravel	22 34	
(7) SCREENS: Well screen installed? Yes Y No	Brown Clay & Gravel	34 36	
Manufacturer's Name			
Type Model No			
Diam. Slot size Set from ft. to ft. to ft. Diam. Slot size Set from ft. to ft. to ft.	·		
Diam. Slot size Set from It. to It.		-	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	DECEINE	h	
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	WE VETYE	U	
Yield: gal./min. with ft. drawdown after hrs.	JAN5 1979		
" " " "	1 1 2 1		
" " " " " " " " " " " " " " " " " " "	WATER RESOURCES		
	SALEM, OREGO	¥	
Bailer test 110 gal./min. with 2 ft. drawdown after 1 hrs.			
Artesian flow g.p.m.	- Fig.	0.6 (78	
erature of water Depth artesian flow encountered ft.	Work started 9-5 19 78 Complete		
(9) CONSTRUCTION:	Date well drilling machine moved off of well	9-6 ¹⁹ 78	
Well seal—Material used Cement	Drilling Machine Operator's Certification:		
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported	direct supervision.	
Diameter of well bore to bottom of sealin.	best knowledge and belief.	9 10 5	
Diameter of well bore below seal	[Signed] (Orilling Machine Operator) Date		
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 436		
How was cement grout placed?			
Owner was installing concrete pit around well. Concrete Pit installed to 9.	Water Well Contractor's Certification:		
Conctete around caseing 14" to 18 level.	This well was drilled under my jurisdiction and this report is		
Was a drive shoe used? Yes \(\text{No Plugs} \) No Plugs Size: location ft.	true to the best of my knowledge and belief. Merle Warren Well Drilling, Inc.		
Did any strata contain unusable water? Yes No	Name Merie warren well Drilling, Inc.		
Type of water? depth of strata	Address 3111 Hwy. 99E, Tangent, Ore. 97389		
Method of sealing strata off	Merl. Harbers		
77	[Signed] (Water Well Control	ractor)	
	Contractor's License No. 182 Date	0110 70	
Gravel placed from ft. to ft.	Communication of Theories, 140, Trans Date		