

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED WATER WELL REPORT LINN 4505 STATE OF OREGON MAR 5 1968

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE ENGINEER SALEM, OREGON (Please type or print) (Do not write above this line)

State Well No. 10/3w-560

State Permit No.

(1) OWNER:

Name PERRY DAVIS Address RT 2 Box 173 ALBANY, ORE.

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) CASING INSTALLED:

12" Diam. from 0 ft. to 30 ft. Gage 250

PERFORATIONS:

Perforated? [X] Yes [] No. Type of perforator used TORCH Size of perforations 1 1/4 in. by 1 1/2 in. 48 perforations from 29 ft. to 27 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 11 ft. below land surface Date Nov 9, 67 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [X] Yes [] No If yes, by whom Valley Well Drillers 400 gal./min. with 5 ft. drawdown after 2 hrs.

Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal—Material used BENTONITE Depth of seal 14 ft. Diameter of well bore to bottom of seal 15 in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [X] Yes [] No Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County LINN Driller's well number 1/4 Section 5 T. 105 R. 3W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing Depth drilled 30 ft. Depth of completed well 30 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: Soil (0-3), BROWN CLAY (3-10), SAND (FLOWING) (10-12), GRAVEL (12-28), SAND (PACKED) (28-30)

Work started NOV 7 19 67 Completed NOV 9 19 67 Date well drilling machine moved off of well NOV 10 19 67

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] W.A. Pankalla Date Dec 27, 19 (Drilling Machine Operator)

Drilling Machine Operator's License No. 491

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME VALLEY WELL DRILLERS (Person, firm or corporation) P. O. Box 885 (Type or print)

Address ALBANY, OREGON 97321

[Signed] Edward Ruth (Water Well Contractor) Phone 926-3400

Contractor's License No. 253 Date 12-30, 1967

Special Standards: 3/8/68