

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

NOV 30 1967

WATER WELL REPORT

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97301

ENGINEER

(Please type or print) (Do not write above this line)

LINN 4555

State Well No. 10/3w-6

State Permit No.

(1) OWNER:

Name Ammon Bros. Address Rt. 2, Box 258, Albany, Oregon

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) CASING INSTALLED:

Threaded [] Welded [X] 10" Diam. from 14 1/2" to 38 ft. Gage 250 Wal

PERFORATIONS:

Perforated? [X] Yes [] No. Type of perforator used Acetylene Torch Size of perforations 1/2 in. by 12 in. 40 perforations from 26 ft. to 36 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 11 ft. below land surface Date 11-21-67 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [X] Yes [] No If yes, by whom? Self Qd: 400 gal./min. with 6 ft. drawdown after 1 hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal—Material used Bentonite Depth of seal 18 ft. Diameter of well bore to bottom of seal 14 in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [X] Yes [] No Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Linn Driller's well number 1/4 1/4 Section 6 T. 10S.R. 3W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing Depth drilled 38 ft. Depth of completed well 38 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with 4 columns: MATERIAL, From, To, SWL. Rows include Top soil, Coarse Gravel, Water Gravel.

Work started 11-20 1967 Completed 11-21 1967 Date well drilling machine moved off of well 11-21 19 67

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Merle Warren Date 11/28, 1967 (Drilling Machine Operator)

Drilling Machine Operator's License No. 436

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Merle Warren Well Drilling (Person, firm or corporation) (Type or print)

Address Rt. 1, box 85, Tangent, Oregon

[Signed] Merle Warren (Water Well Contractor)

Contractor's License No. 182 Date 11/28, 1967