File Original and First Copy with the STATE ENGINEER, SALEM OREGON

WATER WELL REPORT

STATE OF OREGON

6	19 State	\$/	/ No.	,	10/] 3U	ز سـ د	7/	M
	ميريون	***			*******	********	 		******

iar....

STATE ENGINEER, SALEM, OREGON	STATE OF	State Permit No	***************************************				
(1) OWNER: Name F. J. Stauble		(11) WELL TESTS: Drawdown is amount violenced below static le					
שני ס שי זרי		Was a pump test made? K Yes \(\subseteq \) No If yes, by whom? \(\text{OWNO?} \) Yield: 200 gal./min, with \(\frac{1}{2} \) ft. drawdown after 3/\(\text{L} \) hrs.					
		Yield: 200 gal./min. with 🕏 ft. drawdow	n after 3/4 hrs.				
Albany, Oregon		25 22 23	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
(2) LOCATION OF WELL:		Bailer test gal./min. with ft. drawdow					
	umber, if any—	Artesian flow g.p.m. Date					
	. /6S. R. 3 W. W.M.	Temperature of water Was a chemical analysis made? Yes No					
Bearing and distance from section or subdivis		(10) WHITE TOO					
FAST 150 CHAINS FROM		(12) WELL LOG: Diameter of well inches. Depth drilled 37 ft. Depth of completed well 37 ft.					
OF SWY OF S.7, T. los	7 7.32						
		Formation: Describe by color, character, size of materic show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each c	the material in each hange of formation.				
		MATERIAL	FROM TO				
(3) TYPE OF WORK (check):		Top soil and brown clay.	0 2				
w=	nditioning 🗆 Abandon 🗖						
If abandonment, describe material and proceed		Mixture of clay and gravel.	2 3				
	T						
PROPOSED USE (check):	(5) TYPE OF WELL:	Unconsolidated brown sand	3 31				
Domestic 🗌 Industrial 🗍 Municipal 🗍	Rotary Driven Cable Jetted	and gravel quite clean with					
Irrigation 🛣 Test Well 🗌 Other 🔲	Cable ဩ Jetted ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	a small amount of red-brown					
		silt					
(0)	hreaded Welded 🕅						
8 " Diam. from 0 ft. to							
" Diam. from ft. to							
" Diam. from ft. to	ft. Gage	<u>-</u> .					
(7) PERFORATIONS:	erforated? X Yes □ No						
Type of perforator used Cutting to							
SIZE of perforations in. by	7		 				
48 perforations from 2.	1 ft. to 3.1 ft.						
perforations from							
perforations from	ft. to ft.		 				
perforations from	ft. to ft.		<u> </u>				
perforations from	ft. to ft.		 				
(8) SCREENS: Well screen	installed 🗆 Yes 💢 No						
Manufacturer's Name	,		ļ				
Туре	Model No.						
Diam Slot size Set from	ft. to ft.		/50				
Slot size Set from	ft. to ft.	Work started 1/26 1961 Completed	1/28 1961				
(9) CONSTRUCTION:		(13) PUMP:					
Was well gravel packed? ☐ Yes Z. No Siz	ze of gravel	Manufacturer's Name FAIRBANKS MOR	SÆ				
Gravel placed fromft. to		Type: 3" CENTRIFUGAL	15 15				
Was a surface seal provided? X Yes \(\) No		Type: S	A.F				
Material used in seal—		Well Driller's Statement:					
Did any strata contain unusable water?	čes 💢 No	This well was drilled under my jurisdiction	and this report is				
Type of water? Depth o	of strata	true to the best of my knowledge and belief.	,				
Method of sealing strata off		NAME West Well Drilling					
(10) MIAINED TEMPE		(Person, firm, or corporation) (T	ype or print)				
(10) WATER LEVELS: Static level 6 ft. below lan	nd surface Date 1/28/61	Address 4098 Market, N.E., Salem					
	ad surface Date $1/20/51$	Driller's well number 61-5					
Artesian pressure lbs. per sq	The same same same same same same same sam	Differs well intiliber					
Log Accepted by:	1	[Signed] Marion E. West Driller)	z Z				
[Signed] J. J. Councer Date	Jan 28, 1961	((wen Driner)	37 -067				
(Owner)	0	License No. 39 Date 39.	19.0.1				