## ORIGINAL File Original, and Duplicate with the STATE ENGINEER, SALEM, OREGON

LINN 4648

## WATER WELL DRILLERS REPORT STATE OF OREGON

Do Not State Well No. 10/3 W - 9 M(1)

Fill In

State Permit No. 6542

110

(1) OWNER: E. A. & Lois G. Carpenter	(10) WELL TESTS:
Address Route 2. Box 396	Was a pump test made?   Yes No If yes, by whom?
Albany, Oregon	Yield: gal./min. with ft. draw down after hrs.
(2) LOCATION OF WELL:	n n
Τ 2	Artesian flow
County Linn Owner's number, if any G-542  R. F. D. or Street No. Route 2, Box 396	Shut-in pressure
Bearing and distance from section or subdivision corner	Bailer test 80 g.p.m. with NO ft. drawdown
1	Temperature of water Was a chemical analysis made? ☐ Yes X No
	Was electric log made of well? ☐ Yes <b>X</b> No
	(11) WELL LOG:
FYPE OF WORK (check):	Diameter of well, inches.
New Well Deepening Reconditioning Abandon	Total depth 25 ft. Depth of completed well 25 ft.
abandonment, describe material and procedure in Item 11.	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
(4) PROPOSED USE (check): (5) EQUIPMENT:	stratum penetrated, with at least one entry for each change of formation.
Domestic ☐ Industrial ☐ Municipal ☐ Rotary	O ft. to 5 ft. Top Soil
Cable	5 " 25 " River Gravel
Test Well ☐ Other ☐ Cable ☐ Dug Well ☐	77 17
(4) CASING INSTALLED: If gravel packed	35 35
nreaded □ Welded ☑	n n
Gage	77 21
FROMO ft. to 24 618 Diam. 19# Wall of Bore ft. ft.	n n
<u>t</u> <sup>n</sup>	" "
	" "
· · · · · · · · · · · · · · · · · · ·	11 11
n n n n	"
Type and size of shoe or well ring Welded Size of gravel:	11 11
Describe joint Welded with acetylene torch	n n
(7) PERFORATIONS:	n n
	n n
Type of perforator used  SIZE of perforations  12 Acetylene torch in., length, by 1/4 in.	n n Programme
OM ft. to ft. perf per foot No. of rows	
n n n n n n n	
" " " " " " " " " "	" " " " " " " " " " " " " " " " " " "
5 11 11 11 11 11 11 11 11 11 11 11 11 11	n n
11 11 11 11 11 11 11 11 11	" " 3 1 = R
SCREENS:	n n
Give Manufacturer's Name, Model No. and Size	n n
CONCERNICATION	11 11 12 15 15 15 15 15 15 15 15 15 15 15 15 15
(3) CONSTRUCTION: Was a surface sanitary seal provided? □ Yes № No To what depth ft.	" "
was a surface sanitary seal provided? ☐ Yes M No To what depth ft.  Were any strata sealed against pollution? ☐ Yes ☐ No	Constitution of the consti
If yes, note depth of strata X	Ground elevation at well sitefeet above mean sea level.
FROM ft. to ft.	Work started 6_3 197, Completed 6-4 157
" "	Well Driller's Statement: This well was drilled under my jurisdiction and the
METHOD OF SEALING	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
(9) WATER LEVELS:	NAME Merle E. Warren, Well Drilling
Depth at which water was first found 20 ft.	(Person, firm, or corporation) (Typed or printed)
Standing level before perforating ft.	Address 1315 W. 15th Ave., Albany, Oregon.
Standing level after perforating 8 ft.	Driller's well number *#1*
Log Accepted by:	[Signed] Merle Warren
[Signed] G. W. Carpenter Dated 6-7 1957	(Well Driller)
Owner	License No. 182 Dated 6 - 47

S. O 45° E. 42.33 chains from the corner of S. 9, T. 10 S., R. W. W.M. being within the NW ¼ of SW ¼ of Sec. 9, Twp. 10S., R.3 W., W. M. in the county of Linn.