NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the 1 ... WATER WELL REPORT

CALEM OPECON

WATER RESOURCES DEPARTMENT 1978 SALEM, OREGON 97310 AUGI 1978 (Please type or print) within 30 days from the date of well completed ATER RESOURCES (De Tot write above this line)

STATE OF OREGON

State Well No. 10

State Permit No. ...

(1) OWNER: /	(10) LOCATION, OF WELL:
Name Wilmer Strckler	County LINN Driller's well number 128
Address Kt. 2 BOX 299	SE 1/4 NU1/4 Section 25 T. 105 R. 3W W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	**
New Well Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 23
Rotary Driven Domestic D Industrial D Municipal D	
Cable	AN SOLOW AND SULTACE. Date [] 30
	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
12 " Diam from 0 ft to 34 ft Gage 1250	Depth drilled 40 ft. Depth of completed well 47 ft.
"Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials;
" Diam. fromft. toft. Gage	and show thickness and nature of each stratum and aquifer penetrated
PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used,	
21/1	MATERIAL From To SWL
Size of perforations / / in. by 6 in. 180 perforations from 18 ft. to 32 ft.	BROWN SANJY SON O 18
	SIST + GRAJE / 18 23
perforations fromft. toft.	98848/ 23 34 1004 Chark (200) 34 160
perforations fromft. toft.	- C/A4 370, x (4887) 37 40
(7) SCREENS: Well screen installed? Yes No	
Manufacturer's Name	Control of the Contro
Type Model No.	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is	
lowered below static level	
Was a pump test made? Yes No If yes, by whom? OWNER Yield: 250 gal./min. with 2 ft. drawdown after / hrs	
Yield: 250 gal./min. with 2 ft. drawdown after / hrs.	
" " " "	194
<u>"" " " " " " " " " " " " " " " " " " "</u>	** ** ** ** ** ** ** ** ** ** ** ** **
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
nperature of water 57 Depth artesian flow encounteredft.	Work started 6/29/78 19 Completed 6/30/78 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well 6/36/28 19
Well seal—Material used Rfn tow te	Drilling Machine Operator's Certification:
Well sealed from land surface to	
Diameter of well bore to bottom of seal	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal 12 in.	
Number of sacks of cement used in well seal sacks	[Signed] Orilling Machine Operator) Date
How was cement grout placed?	Drilling Machine Operator's License No
- Poured from	TOTAL TYPE III CO. L. C.
LARE!	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? Yes No Plugs Size: location ft.	Name KIDDERS Well DRILIND
Oid any strata contain unusable water? 🗍 Yes 🗍 No	(Person, firm of corporation) (Type or print)
Type of water? depth of strata	Address Kt Box 256 H/bony
Method of sealing strata off	[Signed] Dat Kidder
Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor),
Fravel placed fromft. toft.	Contractor's License No. 6/5 Date 6/30/78, 19