The original and first copy

1 . aV) 🏗					-	
)) NY	1		1				
かつ	State	Well No	10/3	w-	3	3	
00			7	***********		·	-

of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 77510

within 30 days from the date of well completion.

STATE ENGINEER, SALEM, OREGON 77510

WATER WELL REPORT

OF OREGON

(Please type or print)

(Po not write above this line)

State Permit No. ... G-4575

SALEM OREGON	G-4575		
(1) OWNER:	(11) LOCATION OF WELL:		
Name Dick Kizer	County Linn Driller's well nu	ımher	
Address 1703 Kenworthy Road, Albany, Ore.	14 14 Section 33 T. /A		W.M.
(9) TUDE OF WORK (1 1)	Bearing and distance from section or subdivisio		77.122.
(2) TYPE OF WORK (check):	Bearing and distance from section of supulvisio	ii corner	
New Well Deepening Reconditioning Abandon	and the second s	}	
If abandonment, describe material and procedure in Item 12.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well is		_
Rotary Driven Domestic Industrial Municipal			-
Dug	Depth drilled 89 ft. Depth of comple		ft.
CASING INSTALLED: Threaded Welded	Formation: Describe color, texture, grain size and show thickness and nature of each stratu	and structure of : m and aquifer p	materials; enetrated.
10 ft. to ft. Gage 250 Wal	with at least one entry for each change of form	ation. Report each	ch change
" Diam. fromft. toft. Gage		ceeds. Note drill	ing rates.
" Diam. fromft. toft. Gage	MATERIAL	From To	SWL
DEDUCE A MYONG	Top Soil	0 2	
PERFORATIONS: Perforated? Yes No.	Brown Clay	2 9	
Type of perforator used Acetylene Torch	Clay & Coarse Gravel	9 18	
Size of perforations 3/8 in. by 12 in.	Dirty Gravel	18 34	
50 perforations from 36.611 ft. to 491 ft.	Br. Sandy Clay & Gravel	34 38	
perforations from ft. to ft.	Brown Sandy Clay	38 48	
perforations from ft. to ft.	Brown Clay	48 62	
perforations from ft. to ft.	Blue Clay	62 70	=======================================
perforations from ft. to ft.	Brown Sandy Clay	70 84	
7) SCREENS: Well screen installed? I Ves. 5 No.	Brown Clay	84 89	
Work Bottom Mistanted! Tes NO			<u> </u>
Manufacturer's Name			
Diam. Slot size Set from ft. to ft.	± 4 . 1 . 2 . 2 . 2 . 2 . 2 . 2 . 2 . 2 . 2		
Diam. Slot size Set from ft. to ft.			- · · · · · · · · · · · · · · · · · · ·
(8) WATER LEVEL: Completed well.			-
ft, below land surface Date 6-24-68			-
intesian pressure lbs. per square inch Date			-
(9) WELL TESTS: Drawdown is amount water level is	<u> </u>		
lowered below static level			
Vas a pump test made? 🔲 Yes 🕎 No If yes, by whom?	the same of the sa		<u> </u>
d: gal./min. with ft. drawdown after hrs.	Work started 6-17 19 68 Complete	d 6-24	¹⁹ 68
" "	Date well drilling machine moved off of well	5-24	19 68
" " " "	Drilling Machine Operator's Certification:		
Bailer test 110 gal./min. with 26 ft. drawdown after 2 hrs.	This well was constructed under my dir	ect supervision	. Mate-
Artesian flow g.p.m. Date	rials used and information reported above knowledge and belief.	e are true to 1	ny best
. Sp.m. Date	10 11	1/2	- 10
Tes (110	[Signed] (Drilling Machine Operator)	Date 17.1.2.	2, 19 <i>L</i> (2)
10) CONSTRUCTION:		1.70	•
Vell seal-Material used Bentonite	Drilling Machine Operator's License No	#.5b	
lepth of sealft.	Water Well Contractor's Certification:		
plameter of well bore to bottom of seal 14 in.	This well was drilled under my jurisdic	ction and this r	eport is
Vere any loose strata cemented off? 🗌 Yes 🛣 No Depth	true to the best of my knowledge and belies	f.	
Vas a drive shoe used? ☐ XYes ☐ No	NAME MerleWarrenWellDrill (Person, firm or corporation)	ing	
id any strata contain unusable water? 🔲 Yes 🛣 No			
ype of water? depth of strata	Address Rt. 1. Box 85, Tangent	;-,-Ore9;	7389
fethod of sealing strata off	Merla Marse		•
/as well gravel packed? [] Yes KNo Size of gravel:	[Signed]	<u></u>	
ravel placed fromft. toft.	Contractor's License No. 382 Date	-25	
	COMMUNICION & EXCENSE NO	100	14/1/