## **RECEIVED**

FEB 1 1 1999

LINN 52305

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765)

14883 WATER RESOURCES DEPT.
102383 SALEM, OREGON WELL I.D. # L. START CARD # 102383

Instructions for completing this report are on the last page of this form.	
(1) OWNER: Well Number 3	(9) LOCATION OF WELL by legal description:
Name Oremet-WahChang	County Linn Latitude Longitude
Address P.O. Box 580	Township 11S N or S Range 3W E or W. WM.
City Albany State OR Zip 97321	Section 19 NE 1/4 NW 1/4
(2) TYPE OF WORK	Tax Lot 300 Lot Block Subdivision Street Address of Well (or nearest address) 530 34TH Ave SW
New Well ☐ Deepening ☐ Alteration (repair/recondition) ⚠ Abandonment	Street Address of Well (or nearest address)  Albany, OR 97321
(3) DRILLMETHOD: No Drilling	(10) STATIC WATER LEVEL:
Rotary Air Rotary Mud Cable Auger	78 ft. below land surface. Date 1-5-98
(4) PROPOSED USE!	Artesian pressure lb. per square inch. Date
Domestic ☐ Community ☐ Industrial ☐ Irrigation partially ☐ Thermal ☐ Injection ☐ Livestock ☐ Other abandoned	
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found  From Estimated Flow Rate SWL
Special Construction approval Yes No Depth of Completed Well 128 ft.	
Explosives used Yes No Type Amount	From Estimated Flow Rate SWL
HOLE SEAL	
Diameter From To Material From To Sacks or pounds	
<del>-\</del>	
	(A) WINLI LOC
How was seek placed: Method A B C D E	(12) WELL LOG: Ground Elevation Approx. 225 ms1
Other	
Backfill placed from ft. to ft. Material	Material From To SWL
Gravel placed from ft. to ft. Size of gravel	Original Well: LINN 7404
(6) CASING/LINER:	
Diameter From To Gauge Steel Plastic Welded Threaded	1. Pulled pump
Casing:	2. Mills knife perforated from 175'
	to 152 with 92 perforations-
	.4x2.5
Liner:	
	3. Pump 18 sks neat cement grout
Final location of shoe(s)	from 178' up to 176; another
(7) PERFORATIONS/SCREEN	18 sks from 176 up to 167; another
Perforations Method	10 sks from 167 to 163; another 15 sks from 163 to 128:
Screens Type Material Tele/pipe	11011103 to 128;
From To size Name Diameter size Casing Liner	4. Set pump
	1 7. OCC 9 mmp
	13 39 09
(8) WELL TESTS: Minimum testing time is 1 hour	Date started 12-28-98 Completed 1-5-99
Pump ☐ Bailer ☐ Air ☐ Artesian	(unbonded) Water Well Constructor Certification:
	I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge
Yield gal/mik Drawdown Drill stem at Time  1 hr.	Materials aised and information reported above are true to the best of my knowledge and belief.
<del></del>	WWC Number 1633
	Signed Date $2-8-99$
Temperature of water Depth Artesian Flow Found	(bonded) Water Well Constructor Certification:
Was a water analysis done? Yes By whom	I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work
Did any strata contain water not suitable for intended use?  Too little	performed during this time is in combination that of performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Salty Muddy Odor Colored Other	·
Depth of strata:	7-8-99
	Signed Capacity Carvaca Date
ORIGINAL & FIRST COPY-WATER RESOURCES DEPARTMENT SECOND COPY-CONSTRUCTOR THIRD COPY-CUSTOMER	

9905