DEC 16 1959 STATE ENGINEER WATER WELL REPORT 5296 STATE OF OREGON

10/4W	_	1	0

File Original and
First Copy with the STATE ENGINEER,
STATE ENGINEER,
SALEM, OREGON

State Permit No.

1) OWNER:	(11) WELL TESTS:	Drawdown is amount water fever lowered below static level	
Name Ammon Brothers		Yes No If yes, by whom? Se	
Address Box 108 Jefferson, Oregon	<u>Yield: 600 gal./min</u>	n. with 1811 XX drawdown after	hrs.
	2)	. 22	**
2) LOCATION OF WELL:	Bailer test gal./min	. with ft. drawdown after	hrs.
County Linn Owner's number, if any—	Artesian flow	g.p.m. Date	
SW 1/4 NE 1/4 Section 1 T. 1OS R. 4	W.M. Temperature of water	Was a chemical analysis made?	Yes <u>X</u> □ No
Bearing and distance from section or subdivision corner	(10) THEY'S TOCK	70	inches
N 721/0 W 36 chains from SE corner of		ft. Depth of completed well	39 ft.
NE 1/4 of Sec 1 Township 10S R 4 W	· · · · · · · · · · · · · · · · · · ·		<u></u> ,
	show thickness of aquifers of	or, character, size of material and st und the kind and nature of the mate least one entry for each change o	rial in each f formation.
Phone: FA 7-2623	MATI	1	17
			1 =
(3) TYPE OF WORK (check):	Top So		$\frac{7}{2}$
NCW WCILL		Gravel 7	18
conment, describe material and procedure in Item 11.	Water	Gravel 18	- 39 - -
(4) PROPOSED USE (check): (5) TYPE OF W	ELL:		
	en 🗆		
Domestic Industrial Municipal Rotary Driv Cable			
irrigation at rest wen Outer Dug Bore		***************************************	
(6) CASING INSTALLED: Threaded □ Welded □	ζ.	· · · · · · · · · · · · · · · · · · ·	
10" Diam. from0 ft. to 39102!! ft. Gage2	3#		
" Diam. from ft. to ft. Gage	• • • • • • • • • • • • • • • • • • • •		
"Diam. from ft. to ft. Gage	•		
(7) PERFORATIONS: Perforated? 🕻 Yes 🗆	No		
Type of perforator used Acetylene Torch			
SIZE of perforations 1/2 in. by 12 in.			
24 perforations from27 ft. to39			
perforations from ft. to			
perforations from ft. to ft. to			
perforations from ft. to			
perforations fromft. to	ft.		
(8) SCREENS: Well screen installed	No		
Manufacturer's Name			
Manufacturer's Name Model No			
Slot size Set from ft. to	^_		
Diam, Slot size Set from ft. to		19 50 Completed 11-12	19 = 0
DAMES AND DESCRIPTION OF THE PROPERTY OF THE P			
(9) CONSTRUCTION:	(13) PUMP:		
Was well gravel packed? Yes No Size of gravel:	Manufacturer's Name		
Gravel placed fromft. toft.	Type: 4" CENTRI!	FUGAL H.P.	30
Was a surface seal provided? 🗌 Yes 🦞 No To what depth?	ft.		
Material used in seal—	Well Driller's Statement		_
Did any strata contain unusable water? Tyes 🕷 No	This well was drille	d under my jurisdiction and th	is report is
Type of water? Depth of strata	true to the best of my k	nowledge and benet.	
Method of sealing strata off	NAME Merle E.	Warren, Well Drillin	g
(10) WATER LEVELS:	(Person, f	irm, or corporation) (Type or 1 ox 85, Tangent, Orego	
and the second s	Address Rt 1, Bt	Y 03 rangent, orage	721
	Dell'ania 11 1	4	,
Artesian pressure lbs. per square inch Date	Driller's well number	0.160	
Log Accepted by:	[Signed]	una a sha	ren
[Signed] Ammon Bros Date Ou 10	1955	(Well Driffer)	, /A <
[Digned] [MANAMATA] Date	License No182	Date	ر بي 19 بي
My F. M. Capilman		, ,	