LINN 53506

STATE OF OREGON WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

JAN 0 2 2001

WELL ID # L 43289

(START CARD) # 136575

(as required by ORS 537.765) Instructions for completing this report <b>AVAITERINE SOURCES DEPT</b>	(31AKI CAKD) # 136919
(1) OWNER: SALEM, OREGON Well Number: 43289	(9) LOCATION OF WELL by legal description:
Name Freres Lumber, Ted Freres	County Linn Latitude Longitude Township 9/S N or S. Range 2/E E or W. of WM.
Address PO Box 276	Section 36 SE 1/4 SE 1/4
City Lyons State OR Zip 97358	Tax lot 1303 Lot Block Subdivision
(2) TYPE OF WORK:	Street Address of Well (or nearest address) 47842 Lyons-Mill City Drive; Lyons, OR 97358
X New Well Deepening Alteration (repair/recondition) Abandonmen	(10) STATIC WATER LEVEL:
(3) DRILL METHOD:	120 ft. below land surface. Date 12/21/200
[X] Rotary Air	Artesian pressure Ib. per square inch. Date
(4) PROPOSED USE:	(11) WATER BEARING ZONES:
X Domestic   Community   Industrial   Irrigation	Depth at which water was first found 63
Thermal [Injection   Livestock   Other	From To Estimated Flow Rate SWL
(5) BORE HOLE CONSTRUCTION:	- 130 140 15 120 140 160 30 120
Special Construction approval [ ] Yes [X] No Depth of Completed Well 157	
Explosives used Yes X No Type Amount	
HOLE SEAL Amount Diameter From To Material From To sacks or pounds	(12) WELL LOG:
11.25 0 20 Hole plug. 0 8 7-50 lbs.	Ground elevation
11.25 0 20 Cement 8 20 8-94 lbs. 7.5+ 20 120 Cement 92 120 6-94 lbs.	Material From To SWL
7.5+ 20 120 Cement 92 120 6-94 lbs. 5.5+ 120 163	Soil & cobbles. 0 8 Gravels, multi-color medium to 8
	coarse w/boulders. 23
How was seal placed: Method   A   X B   X C   D   E	Pea gravel, meduim to small, 23 multi-color w/sand, black, fine
X Other Poured & probed.	grained. 55
Backfill placed from ft. to ft. Material	Gravels, multi-color, medulm to 63
Gravel placed from ft. to ft. Size of gravel	large w/sand senses black fine grained. 92
(6) CASING/LINER:	Gravel w/sandy clay. 92 106
Diameter From To Gauge Steel Plastic Welded Threade Casing: 6 +1 120 .250   X	Claystone, gray, brown, firm. 106 123 Cemented gravels w/cobbles, 123
Casing.	multi-color w/caving lenses.
Liner: 4 -1 157 160 X	Hole caved from 163' to 157'.
Final location of shoe(s) UR shoe @ 120'.	_
(7) PERFORATIONS/SCREENS:	
X  Perforations	
Slot Tele/pipe	
From To size Number Diameter size Casing Liner 147 157 1/8 12 7	
147 137 110 12 1	Data shaded 4.04.04.0000
	Date started 12/19/2000
	(unbonded) Water Well Constructor Certification:  I certify that the work I performed on the construction, alteration, or abandonment
(O) MELL TECTO: Minimum decline time in 4 hours	of this well is in compliance with Oregon water supply well construction standards.
(8) WELL TESTS: Minimum testing time is 1 hour	Materials used and information reported above are true to my best knowledge and
Pump Bailer XAir Flowing Artesian	// WWC Number 1725
Yield gal/min Drawdown Drill stem at Time	Signed O Proposition Date 12-22-0
30+ 155 1 hr.	Mack Brilling Company, Inc.
	(bonded) Water Well Constructor Certification:  I accept responsibility for the construction, alteration, or abandonment work
	performed on this well during the construction dates, reportegrabove. All work
Temperature of Water 56 Depth Artesian Flow found	performed during this time is in compliance with pregon water supply well
Was a water analysis done? Yes By whom  Did any strata contain water not suitable for intended use? Too little	construction standards. This report is true to the best of my knowledge and belief.  WWC Number 1394
Salty Muddy []Odor []Colored []Other	Signed rench. Mark Date 12/22/00
Depth of strata:	Mack Drilling Company, Inc.