STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

02-20-2009

WELL LABEL # L	96309
START CARD#	1006295

(1) LAND OWNER Owner Well I.D. 278	(9) LOCATION OF WELL (legal description)	
First Name DENNIS & KAREN Last Name WIRTH	County Linn Twp 12.00 S N/S Range 3.00 W E/W WM	
Company DKTK LLC WELL #2	Sec <u>9</u> <u>SE</u> 1/4 of the <u>NW</u> 1/4 Tax Lot <u>200</u>	
Address 31595 DRIVER ROAD	Tax Map Number Lot Lot DMS or DD	
City TANGENT State OR Zip 97389	Lat or under DMS or DD	
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat " " or 44.54258800 DMS or DD Long " or -123.08553200 DMS or DD Street address of well Nearest address	
Alteration (repair/recondition) Abandonment	B3161 TANGENT DRIVE	
(3) DRILL METHOD	TANGENT, OR 97389	
Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)	
	Date SWL(psi) + SWL(ft) Existing Well / Predeepening	
(4) PROPOSED USE Domestic Irrigation Community	Completed Well 02-20-2009	
Industrial/ Commercial Livestock Dewatering	Flowing Artesian? Dry Hole?	
Thermal Injection Other	WATER BEARING ZONES Depth water was first found 36	
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy)		
Depth of Completed Well 129.00 ft. BORE HOLE SEAL sacks/	02-17-2009 36 47 25 19	
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs	02-20-2009 81 126 400 6	
12 0 19 Bentonite Chips 0 19 22 S		
8 19 129		
	(11) WELL LOG Ground Elevation	
How was seal placed: Method A B C D E	Material From To	
Other poured dry/probed	top soil 0 2	
Backfill placed from ft. to ft. Material	clay brown 2 12	
Filter pack from ft. to ft. Material Size	cemented sand & gravel w/brown clay 12 34 clay brown w/gravel 34 36	
Explosives used: Yes Type Amount	clay brown W/gravel 34 36 clay gray W/gravel WB 36 47	
(6) CASING/LINER	sandy clay brown 47 48	
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	clay brown w/small gravel 48 49	
● 8 × 1 129 .250 ● X	clay brown w/gravel 49 52 clay black w/grit 52 77	
	clay black w/grit 52 77 clay gray w/small black gravel 77 81	
	black sand & gravel w/wood 81 126	
	sandstone dark gray (hard) 126 129	
Shoe Inside Outside Other Location of shoe(s)		
Temp casing Yes Dia 12 From 0 To 19		
(7) PERFORATIONS/SCREENS		
Perforations Method Holte Air Perforator		
Screens Type Material		
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/ creen Liner Dia From To width length slots pipe size	Date Started <u>02-13-2009</u> Completed <u>02-20-2009</u>	
Perf Casing 83.5 123.5 .25 1 1,106 8	(unbonded) Water Well Constructor Certification	
	I certify that the work I performed on the construction, deepening, alteration, or	
	abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to	
	the best of my knowledge and belief.	
(8) WELL TESTS: Minimum testing time is 1 hour License Number Date		
Pump Bailer • Air Flowing Artesian	Electronically Filed	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed	
400 128 1	(bonded) Water Well Constructor Certification	
	I accept responsibility for the construction, deepening, alteration, or abandonment	
Temperature 56 °F Lab analysis Yes By	work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well	
Temperature56	construction standards. This report is true to the best of my knowledge and belief.	
From To Description Amount Units	License Number 1581 Date 02-20-2009	
	Electronically Filed	
	Signed LARRY A GRAY (E-filed)	
	Contact Info (optional) Gray Well Drilling.com	