STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L	42575
START CARD#	200927

(1) LAND OWNER Owner Well I.D. 5017	Control of White
(1) 2.11.2 0 (1.121)	(9) LOCATION OF WELL (legal description)
First Name Rob Last Name Miller	County LINN Twp 10 S N/S Range 2 W E/W WM
Company Mt. Jefferson Farms	Sec 3 SE 1/4 of the NE 1/4 Tax Lot 400
Address P.O. Box 12708	Tax Map Number Lot Lot DMS or DD
City Salem State OR Zip 97309	Lat Oi Divis oi bb
(2) TYPE OF WORK New Well Deepening Conversion	Long or DMS or DD
Alteration (repair/recondition) Abandonment	Street address of well Nearest address
(3) DRILL METHOD	Shelburn Rd., Scio, OR 97374
Rotary Air Rotary Mud Cable Auger Cable Mud	(10) STATIC WATER LEVEL
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)
(4) PROPOSED USE Domestic X Irrigation Community	Existing Well / Predeepening
Industrial/ Commercial Livestock Dewatering	Completed Well 04-22-2009 13.7
	Flowing Artesian? Dry Hole?
Thermal Injection Other	WATER BEARING ZONES Depth water was first found 14
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy)	
Depth of Completed Well 130 ft.	04-22-2009 14 128 470 13.67
BORE HOLE SEAL sacks/	
Dia From To Material From To Amt lbs 18 0 20 Bentonite 0 18 22 S	
18 0 20 Bentonite 0 18 22 S	
10 20 130	
	(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D E	Material From To
Other Poured dry	Sandy loam 0 4
Backfill placed from 18 ft. to 130 ft. Material 3/4x1/2 washed rock	Gravel & sand 4 12
Filter pack from ft. to ft. Material Size	Dirty silty gravel 12 25
Explosives used: Yes Type Amount	Dirty sandy gravel 25 60
	Dirty gravel tight 70 79
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Coarse gravel w/some sediments 79 89
● 12 × 2 130 250 ● X	Coarse gravel sandy 89 94.5
	Clay silt lens 94.5 95
	Brown sand w/some silt lenses 95 108
	Sandy gravel 108 128
	Silty clay brown 128 130
Shoe Inside Outside Other Location of shoe(s)	
Temp casing X Yes Dia 16 From 0 To 130	JONES DRILLING CO., INC.
(7) PERFORATIONS/SCREENS	29400 SANTIAM HWY
Perforations Method Torch cut	LEBANON, OR 97355
Screens Type Material	541-367-2560 1-800-915-8388
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	
creen Liner Dia From To width length slots pipe size	Date Started 04-13-2009 Completed 04-22-2009
Perf Casing 25 130 2.67 10 2,000	(unbonded) Water Well Constructor Certification
	I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
(8) WELL TESTS: Minimum testing time is 1 hour	License Number 1411 Date 04-29-2009
Pump Bailer Air Flowing Artesian	Password : (if filing electronically)
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed Signed
470 73 84 4	(bonded) Water Well Constructor Certification
	I accept responsibility for the construction, deepening, alteration, or abandonme
	work performed on this well during the construction dates reported above. All wor
Temperature 54 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water supply we
Water quality concerns? Yes (describe below)	construction standards. This report is true to the best of my knowledge and belief.
From To Description Amount Units	License Number 1684 Date 04-29-2009
KEUEIVEU	Password : (if fairing electropicals)
	Signed Contact Info (optional) jone artiling@hg/mail.jom
original - water resources i	DEDARTMENT (Optional) Johnstein PEWindman Anni
OKIGINAL'- WATEK KESOURCES I	DEFARIMENT //