

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion.

RECEIVED JUN 12 1970 STATE ENGINEER SALEM, OREGON

LINN 60802

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

Linn 431 60802

State Well No. 10/2W-13ba

State Permit No.

(1) OWNER:

Name A.T. Thomas Address Rt. 2, Scio, Oregon

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Cable [X] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [X] Municipal [] Irrigation [] Test Well [] Other []

(5) CASING INSTALLED:

6" Diam. from 0 ft. to 48 ft. Gage 250

(6) PERFORATIONS:

Perforated? [X] Yes [] No. Torched. 20 perforations from 27 ft. to 38 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No. Manufacturer's Name, Type, Model No., Diam., Slot size, Set from.

(8) WATER LEVEL: Completed well.

Static level 16 ft. below land surface Date 4/17/70. Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level. Was a pump test made? [] Yes [X] No. Yield: gal./min. with ft. drawdown after hrs. Baller test 40 gal./min. with 25 ft. drawdown after 2 hrs. Temperature of water 52 Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal—Material used Bentonite. Depth of seal 0 - 20 ft. Diameter of well bore to bottom of seal 9 in. Were any loose strata cemented off? [] Yes [X] No. Was a drive shoe used? [X] Yes [] No. Did any strata contain unusable water? [] Yes [X] No. Type of water? depth of strata. Method of sealing strata off. Was well gravel packed? [] Yes [X] No. Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Linn Driller's well number 122D NE 1/4 NW 1/4 Section 13 T. 10S R. 2W W.M.

Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6" Depth drilled 48 ft. Depth of completed well 48 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: Brown clay & soil (0-2), Solid shale (2-20), Brown claystone (20-27), Medium sand & gravel (27-42), Sand & pea gravel (42-48) with SWL 16.

Work started 4/12 19 70 Completed 4/17 19 70 Date well drilling machine moved off of well 4/17 19 70

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Dale Stover 6-11 19 70 (Drilling Machine Operator)

Drilling Machine Operator's License No. 594

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Schoen Electric & Pump (Person, firm or corporation) (Type or print)

Address 626 W. Queen, Albany, Oregon

[Signed] Larry E. Schoen (Water Well Contractor)

Contractor's License No. 513 Date 6-11 19 70