				- [Page 1 of 1
STATE OF OREGON	LINN	61767	WELL I.D. LABEL# I	123907	
WATER SUPPLY WELL REPORT	0/10/	0 017	START CARD #	1031939	
(as required by ORS 537.765 & OAR 690-205-0210)	9/10/2	2016	ORIGINAL LOG #		
(1) LAND OWNER Owner Well I.D.					
First Name BRYAN Last Name WEBBER			FION OF WELL (legal d		
Company Address 3430 N.W. SPRINGHILL DRIVE			Twp <u>11.00</u> S N		
City <u>ALBANY</u> State <u>OR</u> Zip <u>97321</u>		Sec <u>2</u>	SE 1/4 of the SE	1/4 Tax Lot <u>30</u>	0
City ALBANY State OR Zip 97321 (2) TYPE OF WORK X New Well Deepening Convert	ersion	Tax Map Num	ber or _44.63743100 ' or _44.63743100 ' or _123.009249	Lot	
Alteration (complete 2a & 10) Abandonment(cor	nplete 5a)	Lat	" or <u>44.63743100</u>)	_ DMS or DD
(2a) PRE-ALTERATION	· · · ·	Long	-123.009249 Street address of well • Ne	900 	DMS or DD
Casing: Dia + From To Gauge Stl Plstc Wld Thrd			South of 34881 KNOX BUT		OPEGON
Material From To Amt sacks/lbs		WELL # 3	5001H OF 54661 KNOA DU	I IE KD. ALBANT	, OKEGON
Seal:	-				
(3) DRILL METHOD		(10) STAT	IC WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud		Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration			
Reverse Rotary Other			d Well 9/8/2016		10
(4) PROPOSED USE Domestic X Irrigation Community			Flowing Artesian?	Dry Hole?	10
Industrial/ Commercial Livestock Dewatering		WATER BEAK	RING ZONES Depth wa		11.00
Thermal Injection Other		SWL Date	=	Flow SWL(psi)	
(5) BORE HOLE CONSTRUCTION Special Standard (A Depth of Completed Well 74.00 ft.	ttach copy)	9/8/2016	11 69	75	10
BORE HOLE SEAL	sacks/				
Dia From To Material From To Ar					
	3 S				
	27			I	
Cement with 5% Bento 4 19 1 Calculated 3.	1 S	(11) WELL	LOG Ground Elevatio	n	
	E		Material	From	То
X Other BENTONITE DRY		Top soil		0	3
Backfill placed from ft. to ft. Material		Brown clay		3	7
Filter pack from ft. to ft. MaterialSize		Sandy brown		7	11 20
Explosives used: Yes Type Amount		Sandy brown	nd large gravels	<u> </u>	39 47
(5a) ABANDONMENT USING UNHYDRATED BENTONIT		Fine gray sand		47	54
Proposed Amount Actual Amount		Coarse blue sa	nd	54	66
(6) CASING/LINER		Large loose gr		66	69
Casing Liner Dia + From To Gauge Stl Plstc V		Firm blue clay Gray clayston		<u>69</u> 73	73
	<u>×</u> [] [Gray craystone	5	/3	/4
	\dashv \vdash]				
Shoe Inside Outside Other Location of shoe(s) 70					
Temp casing X Yes Dia 12 From 0 To 19					
(7) PERFORATIONS/SCREENS					
Perforations Method					
Screens Type Material		Date Started	d8/24/2016 Com	pleted <u>9/8/2016</u>	
Perf/ Casing/Screen Scrn/slot Slot # of Screen Liner Dia From To width length slots	Tele/	(unbonded) V	Water Well Constructor Certifi	cation	
Screen Liner Dia From To width length slots	pipe size	· /	the work I performed on the co		ng, alteration, or
		abandonment	of this well is in compliance	e with Oregon wa	ater supply well
			standards. Materials used and in	formation reported	above are true to
		-	knowledge and belief.	ata autorea.	
		License Nulli	ber <u>1903</u> Da	ate <u>9/10/2016</u>	
(8) WELL TESTS: Minimum testing time is 1 hour		Signed RY	AN PILLSBURY (E-filed)		
Pump Bailer Air Flowing Ar				•	
Yield gal/minDrawdownDrill stem/Pump depthDuration (hr7516501	r)	· /	ter Well Constructor Certificat		
			onsibility for the construction, d ed on this well during the constru		
			ring this time is in compliance		
			tandards. This report is true to th		
Water quality concerns? Yes (describe below) TDS amount		License Number 1273 Date 9/10/2016			
From To Description Amount Units					
			OYD G SIPPEL (E-filed)		
		Contact Info (optional)		

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: