LINN 6238

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the WELL REPORT STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion. STATE OF OREGON (Please type or print) G-4544 State Permit No. (1) OWNER: (11) WELL TESTS: Drawdown is amount water level is lowered below static level Name Bishedru Inc. Was a pump test made? ₩ Yes □ No If yes, by whom? Address Rte. #3. Box #87 200 gal./min. with 11 ft. drawdown after Scio. Ore. (2) LOCATION OF WELL: Bailer test gal./min. with ft. drawdown after County Linn Driller's well number 214 Artesian flow g.p.m. Date NW 1/4 Section 2 T. 115 Temperature of water Was a chemical analysis made?
Yes No Bearing and distance from section or subdivision corner (12) WELL LOG: Diameter of well below casing Depth drilled 25ft. Depth of completed well Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. MATERIAL FROM (3) TYPE OF WORK (check): 01: Top soil (sandy) 81 New Well Reconditioning [Deepening | Abandon | 81 16 Clay-gravel (firm) ndonment, describe material and procedure in Item 12. River gravel (course-loose) 16 Gravel-sand (med.-loose) 21 (4) PROPOSED USE (check): 23 (5) TYPE OF WELL: Clay-gravel (firm) 23 1 Rotary [] Driven | Domestic | Industrial | Municipal | Cable Jetted 📋 Irrigation Test Well | Other Dug П Bored [(6) CASING INSTALLED: Threaded [Welded] ...10" Diam. from0. ft. to25... ft. Gage ...250 ft. o ft. Gage" Diam. from ft. to ft. Gage (7) PERFORATIONS: Perforated? Yes 🗌 No Type of perforator used Acet. Torch Size of perforations 3/8 in. by perforations from ft. to ft. perforations from ft. to ft. perforations from ft. to ft. perforations from ft. to ft. (8) SCREENS: Well screen installed?

Yes No 3/14/67 19 Completed 3/17/67 Diam. Slot size Set from ft. to ft. Date well drilling machine moved off of well (9) CONSTRUCTION: (13) PUMP: Well seal-Material used in seal Bentonite -Puddle clay Manufacturer's Name Depth of seal ______ **28** ft. Was a packer used? **10** Diameter of well bore to bottom of seal _______14 in. Water Well Contractor's Certification: Were any loose strata cemented off? ☐ Yes No Depth Was a drive shoe used? X Yes 🔲 No This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was well gravel packed? ☐ Yes 🕱 No Size of gravel: Gravel placed from _____ ft. to _____ ft. NAME Pete Tolmasoff Vell Drilling
(Person, firm or corporation) (Type or print) Did any strata contain unusable water?

Yes
No Address Turner, Ore. Type of water? depth of strata Method of sealing strata off

(USE ADDITIONAL SHEETS IF NECESSARY)

4 ft. below land surface Date 3/16/67

lbs. per square inch Date

[Signed]

(10) WATER LEVELS:

Static level

Artesian pressure

Drilling Machine Operator's License No. 320.....

Contractor's License No. 410 Date 3/21