NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

///// WATER WELL REPORT

STATE OF OREGON

(Please type or print) (Do not write above this line)

WATER RESOURCES DEPARTMENT, 6252 SALEM, OREGON 97310 within 30 days from the date of well completion.

App #G-8013

(1) OWNER:	(10) LOCATION OF WELL:		
Name BELNARD BENSON	County, Live Driller's well number	9-77	
Address Rt. 3 6, 1K.E.Y Rd.	14 14 Section T. // S R. 2	. VÝ W.1	M.
CCABTREE DE	Bearing and distance from section or subdivision cor	ner	
(2) TYPE OF WORK (check):			_
New Well Deepening □ Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found /3 ft.		
Rotary ☐ Driven ☐ ☐ ☐ Domestic ☐ Industrial ☐ Municipal ☐	Static level ft. below land surface	Date 4-15-	77
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per square inch	Date	_
CASING INSTALLED: Threaded □ Welded ☑ "Diam. from 13 ft. to 18 ft. Gage 250 "Diam. from ft. to ft. Gage "Diam. from ft. to ft. Gage	(12) WELL LOG: Diameter of well below casing Depth drilled 60 ft. Depth of completed well 60 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in		
PERFORATIONS: Perforated? Yes No. Type of perforator used	position of Static Water Level and indicate principal v	<u> </u>	
*** /	MATERIAL From		
Size of perforations 7/6 in. by 8 in. 120 perforations from 20 ft. to 43 ft.	TOPSOIL CLAYPY SANDY O COUNTRY GRAVET CHARSE 9	9	
	GRAVEL CORESE SAND SILT 13	33 11	
perforations from ft. to ft.	CLAY BE SOFT WERENET 33	27 4	
	CLAY. GE WIGHTEL 37	50	-
(7) SCREENS: Well screen installed? Yes No	CLAY OR SANKY 50	60	_
Manufacturer's Name	1777		_
Type Model No.			_
Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			_
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Du institution to the test that		
Was a pump test made? ☐ Yes 🗶 No If yes, by whom?		 	
gal./min. with ft. drawdown after hrs.	WATER RESOURCES DEF		_
" " "	SALEM. ORFGON		_
" " "			
Bailer test 60 f gal./min. with 3 ft. drawdown after / hrs.			
Artesian flow g.p.m.			_
perature of water Depth artesian flow encountered ft.	Work started 4-// 1977 Completed 4	7-15 197	_ 77
(9) CONSTRUCTION:	Date well drilling machine moved off of well	-15 197	
Well seal—Material used	Drilling Machine Operator's Certification:		
Well sealed from land surface to 20 ft.	This well was constructed under my direct Materials used and information reported above	t supervision	n.
Diameter of well bore to bottom of seal in.	best knowledge and belief.	are true to m	ıy
Diameter of well bore below sealin.	[Signed] LC Bulling Date	5-12, 197	Z
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator) Drilling Machine Operator's License No.	745/	
How was cement grout placed? Tulk & GRAVITY FLOW	Drining Wachine Operator's License No.		
1 4 5 5 5 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Water Well Contractor's Certification:		
	This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this report i	is
Was a drive shoe used? X Yes 🗌 No Plugs Size: location ft.	Name Fighapson Well Drilling (Person, firm or corporation) (Type or print)		
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	Type or print)	
Type of water? depth of strata	Address 4/085 LAEwood Rd.	Sc: 0	
Method of sealing strata off	[Signed] & C. Bickardson	ノ	
Was well gravel packed? Tyes X No Size of gravel:	(Water Well Contractor)	***************************************	
Gravel placed from ft. to ft.	Contractor's License No. 650 Date 5-	Z - , 19.7	7