

LINN 62629

WELL I.D. LABEL# L 132107

WATER SUPPLY WELL REPORT	START CARD# 1041893	
(as required by ORS 537.765 & OAR 690-205-0210)	ORIGINAL LOG #	
(1) LAND OWNER First Name Owner Well I.D. NW Last Name	LINN- 62629	
First Name Last Name Company Jack Hempicine LLC	(9) LOCATION OF WELL (legal description)	
Address 7744 NW Mint Ave	County LINE BENT Twp 10 S N/S Range 4	
City Albany State Or Zip 97321	Sec 21 SE 1/4 of the 5 W 1/4 Tax Lot	
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat ' " or	
Alteration (complete 2a & 10)	Lat or	DMS or DD
(2a) PRE-ALTERATION	Long	DMS or DD
<u>Dia + From To Gauge Stl Plstc Wld Thrd</u>	Street address of well Nearest address	
Casing: APRO 8 2019	North of 7744 NW Mint ave. Albany, Or 97321	
Material From To Amt sacks/lbs Seal:		
(3) DRILL METHOD	(10) STATIC WATER LEVEL	
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi)	+ SWL(ft)
Reverse Rotary Other	Existing Well / Pre-Alteration	
	Completed Well 02-04-2019	14
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?	
Industrial/Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first fou	ınd <u>39</u>
ThermalInjectionOther	SWL Date From To Est Flow SWL(ps	i) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach cop	y) 21 28 10	
Depth of Completed Well 74 ft.	02-04-2019 41 65 10.5	14
BORE HOLE SEAL sack		
Dia From To Material From To Amt Ibs		
10 0 57 Bentonite Chips 0 26 78 S		
Cement 26 39 7 S	┐	
Calculated 4.8	(11) WELL LOG Ground Elevation	•
How was seal placed: Method A B C D E	Material From	То
X _{Other} cement tremied	Topsoil · 0	I
Backfill placed from 39 ft. to 57 ft. Material pea gravel	clay, dark brown, sticky	5
Filter pack from 33 ft. to 74 ft. Material silica Size 6/9	clay, light brown, sticky 5	7
Explosives used: Yes Type Amount	clay, orange, silty 7 clay, brown, sandy w/fine black/brown pea gravel 21	31
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	fine black/brown pea gravel w/occ. grey sandy clay 31	47
Proposed Amount Pounds Actual Amount Pounds	black, blue, brown pea gravel w/occ. grey sandy clay 47	65
1,10	grey clay 65	74
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thro		
\bigcirc	1 11	CEIVED
1 53 sch 40 X		-OLIVED
	Dickerson Well Drilling, Inc.	p n 1 2019
	(503) 623-2664 MA	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Shoe X Inside Outside Other Location of shoe(s) 74		OWRD
Temp casing \times Yes Dia 10 From $+$ \times 1 To 32		<u> </u>
(7) PERFORATIONS/SCREENS		
Perforations Method		
Screens Type Material Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 01-25-2019 Completed 02-04-2	2019
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/ creen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification	
Perf Casing 6 52 69 .125 6 104 6	I certify that the work I performed on the construction, deep	pening, alteration, o
Screen Liner 4 53 74 .032	abandonment of this well is in compliance with Oregon	water supply we
	construction standards. Materials used and information repor	ted above are true t
	the best of my knowledge and belief.	
	License Number 1574 Date 02-24-201	9
(8) WELL TESTS: Minimum testing time is 1 hour	Signed Raft S WWW /	
Pump Bailer Air Flowing Artesian	1900 - 1000 - C	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification	
10.5 60 4	I accept responsibility for the construction, deepening, altera	
	work performed on this well during the construction dates repo	
	performed during this time is in compliance with Oregon construction standards. This report is true to the best of my known to	
Temperature 52 °F Lab analysis Yes By	-	owiede and beiler
Water quality concerns? Yes (describe below) TDS amount 125 ppm From To Description Amount Units	License Number 1571 Date 02-24-2019	
Secretary Amount Office	Signed William A. Blair	
	Contact Info (optional)	
	(opnomi)	