STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210) LINN 63266

9/16/2020

WELL I.D. LABEL# L
START CARD #
ORIGINAL LOG #

		Page 1 of 1
L	138959	
	1048926	

(1) LAND OWNER Owner Well I.D. DR-3484				
First Name Last Name	(9) LOCATION OF WELL (legal description)			
Company SWEET HOME SCHOOL DISTRICT	County LINN Twp 13.00 S N/S Range 1.00 E	E/W WM		
Address 1920 LONG ST.	Sec 30 SW 1/4 of the NW 1/4 Tax Lot 800			
City SWEET HOME State OR Zip 97386 (2) TYPE OF WORK New Well Deepening Conversion				
	Tax Map Number Lot Lat " or 44.41337582 DMS Long " or -122.73884261 DMS	S or DD		
Alteration (complete 2a & 10) Abandonment(complete 5a) (2a) PRE-ALTERATION	Long or -122.73884261 DM	S or DD		
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address			
Casing:	PLEASANT VALLEY SCHOOL			
Material From To Amt sacks/lbs	28028 PLEASANT VALLEY RD. SWEET HOME OR. 97386			
Seal:	(40) CMA MY CAYAA MADDA A NAMAY			
(3) DRILL METHOD	(10) STATIC WATER LEVEL Date SWI.(psi) + SWI	(6)		
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWI Existing Well / Pre-Alteration	_(π)		
Reverse Rotary Other	Completed Well 9/11/2020 4:	2		
(4) PROPOSED USE X Domestic Irrigation Community	Flowing Artesian? Dry Hole?			
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found 102.00			
Thermal Injection Other	·	T (f4)		
	4.7	L(It)		
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	9/11/2020 102 182 40	42		
Depth of Completed Well 182.00 ft.				
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs				
Dia From To Material From To Amt lbs 10 0 39 Bentonite 0 39 21 S				
6 39 182 Calculated 17.8				
	(11) WELL LOC			
Calculated	(11) WELL LOG Ground Elevation			
How was seal placed: Method A B C D E	Material From To	<u> </u>		
X Other POURED DRY	Topsoil w/ Pea Gravel Fill 0			
Backfill placed from ft. to ft. Material	Clay Brown w/ Grit 1 2			
Filter pack from ft. to ft. Material Size		9		
Explosives used: Yes Type Amount	Gravels w/ Clay Brown Sandy 39 4 Gravels Brown Very Cemented 44 8	4		
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Gravels W/ Clay Brown 85 8			
Proposed Amount Actual Amount	Gravels Very Cemented Brown 87 18			
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd				
● 6 × 1.9 179 .250 ● X				
Shoe X Inside Outside Other Location of shoe(s) 179				
Temp casing Yes Dia From + To				
(7) PERFORATIONS/SCREENS				
Perforations Method Holte Air Perforator				
Screens Type Material	Date Started 9/8/2020 Completed 9/11/2020			
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/	(unbonded) Water Well Constructor Certification			
Screen LinerDiaFromTowidthlengthslotspipe sizePerfCasing6123175.251936	I certify that the work I performed on the construction, deepening, alter	ration or		
Fell Casing 0 125 175 .25 1 950	abandonment of this well is in compliance with Oregon water sup	,		
	construction standards. Materials used and information reported above a			
	the best of my knowledge and belief.			
	License Number 1974 Date 9/15/2020			
(8) WELL TESTS: Minimum testing time is 1 hour				
Pump Bailer () Air Flowing Artesian	Signed CJ NUGENT (E-filed)			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification			
40 175 2	I accept responsibility for the construction, deepening, alteration, or aba	ındonment		
	work performed on this well during the construction dates reported above.			
		performed during this time is in compliance with Oregon water supply well		
Temperature 53 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and	d belief.		
Water quality concerns? Yes (describe below) TDS amount 53 ppm	License Number 664 Date 9/15/2020			
From To Description Amount Units				
	Signed CHARLES NUGENT (E-filed) Country to Uniform			
	Contact Info (optional) Nugent Drilling Co. Lebanon Oregon			