

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

WELL I.D. LABEL# L 145117
START CARD # 1056531
ORIGINAL LOG #

(1) LAND OWNER
Owner Well I.D. 6355
First Name Last Name
Company Linn County
Address P.O. Box 100
City Albany State OR Zip 97321

(2) TYPE OF WORK
[X] New Well [] Deepening [] Conversion
[] Alteration (complete 2a & 10) [] Abandonment (complete 5a)

(2a) PRE-ALTERATION
Dia + From To Gauge Stl Plstc Wld Thrd
Casing:
Material From To Amt sacks/lbs
Seal:

(3) DRILL METHOD
[X] Rotary Air [] Rotary Mud [] Cable [] Auger [] Cable Mud
[] Reverse Rotary [] Other

(4) PROPOSED USE
[] Domestic [] Irrigation [X] Community
[] Industrial/ Commercial [] Livestock [] Dewatering
[] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION
Special Standard (Attach copy)
Depth of Completed Well 110 ft.

Table with columns: Dia, From, To, Material, From, To, Amt, lbs. Rows include Cement, Bentonite 0-1 1S, and Calculated values.

How was seal placed: Method [] A [X] B [X] C [] D [] E
[X] Other Poured dry

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: [] Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE
Proposed Amount Pounds Actual Amount Pounds

(6) CASING/LINER
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd
Shoe [] Inside [] Outside [] Other Location of shoe(s)
Temp casing [X] Yes Dia 10 From 1 To 19

(7) PERFORATIONS/SCREENS
Perforations Method Drilled 1/4" holes
Screens Type Material
Perf/S Casing/Screen
reen Liner Dia From To Scrn/slot Slot # of Tele/
width length slots pipe size

(8) WELL TESTS: Minimum testing time is 1 hour
[] Pump [] Bailer [X] Air [] Flowing Artesian
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

Temperature 57 °F Lab analysis [] Yes By
Water quality concerns? [] Yes (describe below) TDS amount 61
From To Description Amount Units

(9) LOCATION OF WELL (legal description)
County LINN Twp 12 S N/S Range 3 E E/W WM
Sec 16 SW 1/4 of the SW 1/4 Tax Lot 3400
Tax Map Number Lot
Lat " or 44.5161391 DMS or DD
Long " or -122.4610758 DMS or DD
[] Street address of well [] Nearest address

Rocky Top Group Camp - Quartzville Dr. - Foster, OR 97345

(10) STATIC WATER LEVEL
Date SWL(psi) + SWL(ft)
Existing Well / Pre-Alteration
Completed Well 05-11-2022 11
Flowing Artesian? [] Dry Hole? []

WATER BEARING ZONES
Depth water was first found 21
SWL Date From To Est Flow SWL(psi) + SWL(ft)
05-09-2022 21 25 15 20
05-10-2022 60 110 10 11

(11) WELL LOG
Ground Elevation
Material From To
Topsoil 0 2
Broken decomposed basalt 2 8
Brown clay w/boulders & broken decomposed basalt 8 15
Conglomerate claystone 15 21
Broken decomposed basalt 21 25
Conglomerate sandstone w/broken decomposed basalt & brown clay w/broken claystone 25 60
Conglomerate sandstone 60 110

JONES DRILLING CO., INC. RECEIVED
29400 SANTIAM HWY.
LEBANON, OR 97355 MAY 20 2022
541-367-2560 541-451-2686
1-800-915-8388 OWRD

Date Started 05-09-2022 Completed 05-11-2022

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 2050 Date 05-17-2022
Signed [Signature]

(bonded) Water Well Constructor Certification
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1684 Date 05-17-2022
Signed [Signature]
Contact Info (optional) jonesdrilling@hotmail.com