STATE OF OREGON	LINN	64050	CTART CARD #			
WATER SUPPLY WELL REPORT	11/4/	3033	START CARD#	1059052		
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	11/4/2	2022	ORIGINAL LOG #			
(1) LAND OWNER Owner Well I.D.						
First Name Last Name		(9) LOCA	TION OF WELL (legal o	lescription)		
Company L3 FARMS		County LINN	Twp 13.00 S N	/S Range 3.00	W E/W WM	
Address 33760 LINN WEST DRIVE City SHEDD State OR Zip 97377		Sec <u>35</u>	<u>SE</u> 1/4 of the <u>SE</u>	1/4 Tax Lot 100	0	
2) TYPE OF WORK New Well Deepening Conv	version	Tax Map Num	ber" or <u>44.3889991</u>	Lot		
	tersion .	Lat	" or 44.3889991	9	DMS or DD	
Alteration (complete 2a & 10) Abandonment(co	omplete 5a)	Long	" or 44.38899919 " or -123.009704	411	DMS or DD	
Dia + From To Gauge Stl Plstc Wld Thrd		\bigcirc s	Street address of well Ne	earest address	_	
Casing:		HWY 228 W	EST OF BROWNSVILLE ACR	OSS FROM THE SU	JB STATION	
Material From To Amt sacks/lbs						
Seal:	†	(10) 071	- ~			
(3) DRILL METHOD		(10) STAT	IC WATER LEVEL		GTT (0)	
Rotary Air Rotary Mud Cable Auger Cable Mud		Evicting V	Well / Pre-Alteration Date	e SWL(psi) +	SWL(ft)	
Reverse Rotary Other		Complete		\dashv	90	
(4) PROPOSED USE Domestic Irrigation Community	7	compiete	Flowing Artesian?	Dry Hole?	90	
Industrial/ Commercial Livestock Dewatering					21.00	
	ľ		1	ater was first found _		
ThermalOther		SWL Date	From To Est	t Flow SWL(psi)	+ SWL(ft)	
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	10/27/2022	21 60	30	21	
Depth of Completed Well 118.00 ft.		10/27/2022		200	21	
BORE HOLE SEAL	sacks/					
Dia From To Material From To A						
12 0 19 Bentonite 0 19	19 S					
8 19 118 Calculated 1	0.77					
Calculated		(11) WELL	LOG Ground Elevation	on.		
How was seal placed: Method A B C D			Material Ground Elevation	From	To	
XOther POURED AND TAMPED		Top Soil	Waterial	0	2	
Backfill placed from ft. Material		Sandy Loam		2	16	
Filter pack from ft. to ft. Material Size			th Sand and Gravel	16	21	
		Sand and Grav		21	60	
Explosives used: Yes Type Amount		Blue Clay Wit	th Sand and Gravel	60	71	
5a) ABANDONMENT USING UNHYDRATED BENTONI	TE	Black sand an	d Gravel	71	116	
Proposed Amount Actual Amount		Blue Clay		116	118	
(6) CASING/LINER						
Casing Liner Dia + From To Gauge Stl Plstc	Wld Thrd					
8 X 2 118 .250 • O	\times					
	\sqcup \sqcup \sqcup					
Shoe X Inside Outside Other Location of shoe(s) 11	18					
Temp casing Yes Dia From + To						
7) PERFORATIONS/SCREENS						
Perforations Method						
Screens Type Material		Date Started	d10/25/2022 Com	pleted 10/27/2022		
Perf/ Casing/ Screen Scrn/slot Slot # of		(umbandad) I				
Screen Liner Dia From To width length slots	pipe size	` /	Water Well Constructor Certification the work I performed on the co		na alteration of	
			of this well is in compliance			
			standards. Materials used and in			
		the best of my	knowledge and belief.	1		
		License Numb	ber ₁₈₃₉ D	Pate 11/2/2022		
8) WELL TESTS: Minimum testing time is 1 hour				11/2/2022		
•	rtosion	Signed MI	CHAEL HOLLEY (E-filed)			
		(bandad) Wat	ter Well Constructor Certificat			
Yield gal/min Drawdown Drill stem/Pump depth Duration (1 -0-200 -1-18-116 -1-2		` ′				
0 200			onsibility for the construction, d			
			ed on this well during the constru iring this time is in compliance			
Temperature 67 OF Lab analysis V Dv			tandards. This report is true to the			
Temperature 57 °F Lab analysis Yes By						
Water quality concerns? Yes (describe below) TDS amount 90 From To Description Amount	<u>ppm</u> Units	Piccuse Maill	2002 D	ate 11/4/2022		
		Signed MA	XWELL JONES (E-filed)			
	<u> </u>		optional) Casey Jones Well Dril	ling 541-747-2806	-	
	<u> </u>	(· · · · · · · · · · · · · · · · · · ·			

Amended 8/23/2023

LINN 64050

WELL I.D. LABEL# L 149304

START CARD # 1059052

ORIGINAL LOG #

continuation page	11/4/2022	O	RIGINAL L		7032	
(2a) PRE-ALTERATION	Water	Quality Conce	rns			
Dia + From To Gauge Stl Plstc Wld Thrd	From	То	Descri	otion	Amour	nt Units
				•		
Material From To Amt sacks/lbs						
	$ \overline{(10)}$ S7	TATIC WATI	ER LEVEL			
(5) BORE HOLE CONSTRUCTION	SWL		To	Est Flow	SWL(psi)	+ SWL(ft)
BORE HOLE SEAL SEAL Dia From To Material From To Amt	ncks/					
Material From 10 Aint	lbs					
Calculated						
Calculated	→ I 					
Calculated						
Calculated						
FILTER PACK From To Material Size	(11) W	ELL LOG				
		Materia	1		From	To
6) CASING/LINER						
Casing Liner Dia + From To Gauge Stl Plstc Wld Tl	ard				 	
Casing Enter Dia + 110m 10 Gaage Su 11ste Wa 11					+	
					 	
					1	
	_				+	
					+	
7) PERFORATIONS/SCREENS						
	Γele/				+	
Beili side Biot	pe size					
					+	
	Comp	nents/Remark	·s			
(8) WELL TESTS: Minimum testing time is 1 hour	11	eveloped at a later		U33 4mi~	a altorotic	n work
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)		test complete mented on LII		uzs durin	y anerano	II WOLK

LINN 64050

11/4/2022

Map of Hole

STATE OF OREGON WELL LOCATION MAP

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 44.38899919 Datum: WGS84

Longitude: -123.00970411

Township/Range/Section/Quarter-Quarter Section:

This map is supplemental to the WATER SUPPLY WELL REPORT

WM13.00S3.00W35SESE

Address of Well:

HWY 228 WEST OF BROWNSVILLE ACROSS FROM THE SUB STATING by well constructor

Well Label: 149304

Printed: November 2, 2022

DISCLAIMER: This map is intended to represent the

approximate location the well. It is not intended to be construed as survey accurate in any manner.

