

STATE OF OREGON WATER SUPPLY WELL REPORT

LINN 64207

WELL I.D. LABEL# L 148883 START CARD # 1061239 ORIGINAL LOG #

6/7/2023

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

(1) LAND OWNER Owner Well I.D. DR-3664 First Name Last Name Company GERIG FARMS LLC Address 36216 GERIG DR. City ALBANY State OR Zip 97322

(2) TYPE OF WORK [X] New Well [] Deepening [] Conversion [] Alteration (complete 2a & 10) [] Abandonment (complete 5a)

(2a) PRE-ALTERATION Casing: Dia + From To Gauge Stl Plstc Wld Thrd Seal: Material From To Amt sacks/lbs

(3) DRILL METHOD [X] Rotary Air [] Rotary Mud [] Cable [] Auger [] Cable Mud [] Reverse Rotary [] Other

(4) PROPOSED USE [] Domestic [X] Irrigation [] Community [] Industrial/ Commercial [] Livestock [] Dewatering [] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION Special Standard [] (Attach copy) Depth of Completed Well 199.00 ft.

Table with columns: Dia, From, To, Material, From, To, Amt, sacks/lbs. Rows include Bentonite and Cement.

How was seal placed: Method [] A [] B [] C [] D [] E [X] Other POURED DRY

Backfill placed from 222 ft. to 259 ft. Material 3/8 PEA GRAVEL

Filter pack from ft. to ft. Material Size

Explosives used: [] Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE Proposed Amount Actual Amount

(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd Shoe [X] Inside [] Outside [] Other Location of shoe(s) 198

(7) PERFORATIONS/SCREENS Perforations Method Holte Air Perforator Screens Type Material

Table with columns: Perf, Casing/Screen, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Table with columns: Pump/Bailer/Air/Flowing Artesian, Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr)

Temperature 53 °F Lab analysis [] Yes By Water quality concerns? [] Yes (describe below) TDS amount 76 ppm

(9) LOCATION OF WELL (legal description) County LINN Twp 11.00 S N/S Range 2.00 W E/W WM Sec 16 SW 1/4 of the NW 1/4 Tax Lot 200

NW OF: 39494 LAURA LANE SE. ALBANY OR. 97322

(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration Completed Well 5/31/2023 7

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), + SWL(ft). Rows show water level data for various dates.

(11) WELL LOG Ground Elevation From To Material Topsoil Clay Brown Clay Brown w/ Gravel Gravel Cemented Hard Gravel Dirty/Sandy Brown Gravel w/ Sand Brown Gravel w/ Silty Clay Gray Gravel Blue w/ Sand Gravel w/ Clay Gray Sandy Sand Packed w/ Small Gravel Blue Gravel w/ Course Sand Black Sand w/ Small Gravel w/ Clay Blue Sand Black Course Packed w/ Clay Sand Couse w/ Small Gravel Packed Gravel w/ Clay Brown Soft Clay Blue w/ Gravel Sandy Sand Blue w/ Wood Clay Gray w/ Small Gravel and Sand Clay Brown w/ Gravel and Some Sand

Date Started 5/17/2023 Completed 5/31/2023

(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. License Number 1974 Date 5/31/2023 Signed CJ NUGENT (E-filed)

(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. License Number 664 Date 6/6/2023 Signed CHARLES NUGENT (E-filed) Contact Info (optional) Nugent Drilling Co. Lebanon Oregon

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

LINN 64207

6/7/2023

Map of Hole

