

STATE OF OREGON WATER SUPPLY WELL REPORT

LINN 64256

WELL I.D. LABEL# L 150459 START CARD # 1070593 ORIGINAL LOG #

8/2/2023

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

(1) LAND OWNER Owner Well I.D. DR-3681 First Name RON Last Name JOHNSON Company Address 33086 WHITE OAK RD. City CORVALLIS State OR Zip 97333

(2) TYPE OF WORK [X] New Well [] Deepening [] Conversion [] Alteration (complete 2a & 10) [] Abandonment (complete 5a)

(2a) PRE-ALTERATION Casing: Dia + From To Gauge Stl Plstc Wld Thrd Seal: Material From To Amt sacks/lbs

(3) DRILL METHOD [X] Rotary Air [] Rotary Mud [] Cable [] Auger [] Cable Mud [] Reverse Rotary [] Other

(4) PROPOSED USE [X] Domestic [] Irrigation [] Community [] Industrial/ Commercial [] Livestock [] Dewatering [] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION Special Standard [] (Attach copy) Depth of Completed Well 82.00 ft. BORE HOLE table with columns Dia, From, To, Material, From, To, Amt, lbs

Seal placement method [] A [] B [] C [] D [] E [X] Other: POURED DRY Backfill placed from ft. to ft. Material Filter pack from ft. to ft. Material Size Explosives used: Type Amount Seal Placement Begin Date 8/1/2023 Begin Time 13 30

(5a) ABANDONMENT USING UNHYDRATED BENTONITE Proposed Amount Actual Amount

(6) CASING/LINER Casing Liner table with columns Dia, From, To, Gauge, Stl, Plstc, Wld, Thrd Shoe [] Inside [X] Outside [] Other Location of shoe(s) 79 Temp casing [] Yes Dia From + To

(7) PERFORATIONS/SCREENS Perforations Method Screens Type Material Perf/ Casing/ Screen table with columns Screen Liner, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour [] Pump [] Bailer [X] Air [] Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) table with values 60, 75, 1

Temperature 53 °F Lab analysis [] Yes By Water quality concerns? [] Yes (describe below) TDS amount 380 ppm From To Description Amount Units

(9) LOCATION OF WELL (legal description) County LINN Twp 12.00 S N/S Range 4.00 W E/W WM Sec 8 SE 1/4 of the NW 1/4 Tax Lot 1100 Tax Map Number Lot Lat Long [X] Street address of well [] Nearest address 33086 WHITE OAK RD. CORVALLIS, OR 97333

(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration Completed Well table with values 8/2/2023, 12

WATER BEARING ZONES Depth water was first found 22.00 SWL Date From To Est Flow SWL(psi) + SWL(ft) table with values 8/2/2023, 22, 36, 40, 12

(11) WELL LOG Ground Elevation Material From To table with values Topsoil, Clay Brown Sandy/Silty, Clay Brown w/ Some Gravel, Gravel large w/ Silt Dirty, Gravel Sandy w/ Clay Blue, Clay Gray Sandy Very Soft w/ Gravel, Sand Blue Course Packed, Gravel Blue w/ Sand, Clay Gray w/ Some Gravel

Construction Begin Date 8/1/2023 Begin Time 09 00 End Date 8/2/2023

(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. License Number 1974 Date 8/2/2023 Signed CJ NUGENT (E-filed)

(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. License Number 664 Date 8/2/2023 Signed CHARLES NUGENT (E-filed) Contact Info (optional) Nugent Drilling Co. Lebanon Oregon

WATER SUPPLY WELL REPORT - continuation page

LINN 64256

WELL I.D. LABEL# L

150459

START CARD #

1070593

8/2/2023

ORIGINAL LOG #

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Material					From	To	Amt	sacks/lbs

(5) BORE HOLE CONSTRUCTION

BORE HOLE				SEAL			sacks/
Dia	From	To	Material	From	To	Amt	lbs
						Calculated	
						Calculated	
						Calculated	
						Calculated	

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

(7) PERFORATIONS/SCREENS

Perf/	Casing/	Screen	From	To	Scrn/slot	Slot	# of	Tele/
Screen	Liner	Dia			width	length	slots	pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

Water Quality Concerns

From	To	Description	Amount	Units

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)

(11) WELL LOG

Material	From	To

Name of person(s) who assisted with construction and Trainee License # / Helper #

Assistant Name	Type	#
KYLE MOORE	WATER	2107
TIM NICHOLSON	HELPER WATER	8888849

Comments/Remarks

Hole naturally caved back to 82'
Water from 22-36' was very dirty and sandy.

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

LINN 64256

8/2/2023

Map of Hole

