

STATE OF OREGON  
WATER SUPPLY WELL REPORT

LINN 64883

WELL I.D. LABEL# L

Page 1 of 3

151699

START CARD #

1076354

ORIGINAL LOG #

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

4/23/2025

(1) LAND OWNER

Owner Well I.D. \_\_\_\_\_

First Name \_\_\_\_\_ Last Name \_\_\_\_\_

Company NATIONAL FROZEN FOODS CORPORATION

Address 745 30TH AVE SW

City ALBANY State OR Zip 97322

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion

☐ Alteration (complete 2a & 10) ☐ Abandonment (complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrd  
Material From To Amt sacks/lbs  
Seal: \_\_\_\_\_

(3) DRILL METHOD

☒ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger ☐ Cable Mud  
☐ Reverse Rotary ☐ Other \_\_\_\_\_

(4) PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Community  
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering  
☐ Thermal ☐ Injection ☐ Other \_\_\_\_\_

(5) BORE HOLE CONSTRUCTION

Special Standard ☐ (Attach copy)

Depth of Completed Well 310.00 ft.

BORE HOLE				SEAL			
Dia	From	To	Material	From	To	Amt	sacks/lbs
16	0	49	Cement	0	49	119	S
12	49	315			Calculated	30	
					Calculated		

Seal placement method: ☐ A ☐ B ☒ C ☐ D ☐ E ☐ Other: \_\_\_\_\_

Backfill placed from 310 ft. to 315 ft. Material GRAVEL

Filter pack from 154 ft. to 310 ft. Material CCS Size 8/12

Explosives used: ☐ Type \_\_\_\_\_ Amount \_\_\_\_\_

Seal Placement Begin Date 3/24/2025 Begin Time 11 15

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount

Actual Amount

(6) CASING/LINER

C/L	Dia	+ From To	Gauge	Mat. Type	Wld	Thrd	Shoe Location
C	12	<input checked="" type="checkbox"/> 1 194	0.375	ST	<input checked="" type="checkbox"/>		OUT. 314
L	10	<input type="checkbox"/> 152 194	0.250	ST	<input checked="" type="checkbox"/>		
L	8	<input type="checkbox"/> 216 252	0.250	ST	<input checked="" type="checkbox"/>		
L	8	<input type="checkbox"/> 264 289	0.250	ST	<input checked="" type="checkbox"/>		
L	8	<input type="checkbox"/> 300 310	0.250	ST	<input checked="" type="checkbox"/>		

Temp casing ☒ Yes Dia 16 From+ ☒ 1 To 49

(7) PERFORATIONS/SCREENS

Perforations Method \_\_\_\_\_

Screens Type V wire Material stainless steel

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ Pipe size
Screen	Liner	8	194	216	.05			Pipe Size
Screen	Liner	8	252	264	.05			Pipe Size
Screen	Liner	8	289	300	.06			Pipe Size

(8) WELL TESTS: Minimum testing time is 1 hour

Type of Test	Yield (gal/min)	Drawdown	Drill Stem/ Pump Depth	Duration (hr)
Pump	1100	118.7	172	4

Temperature 56 °F Lab analysis ☐ Yes By \_\_\_\_\_

Water quality concerns? ☐ Yes (describe below) TDS amount 179 ppm  
From To Description Amount Units


(9) LOCATION OF WELL (legal description)

County LINN Twp 11.00 S N/S Range 3.00 W E/W WM

Sec 31 NW 1/4 of the NE 1/4 Tax Lot 200

Tax Map Number \_\_\_\_\_ Lot \_\_\_\_\_

Lat \_\_\_\_\_ " or 44.57746000 DMS or DD

Long \_\_\_\_\_ " or -123.09926000 DMS or DD

☐ Street address of well ☒ Nearest address

BETA DRIVE EAST OF RAILROAD TRACKS (NO ADDRESS)

(10) STATIC WATER LEVEL

	Date	SWL (psi)	+	SWL (ft)
Existing Well / Pre-Alteration				
Completed Well	3/29/2025			10.3
Flowing Artesian?	<input type="checkbox"/>			
Dry Hole?	<input type="checkbox"/>			

WATER BEARING ZONES

Depth water was first found 28.00

SWL Date	From	To	Est Flow	SWL (psi)	+	SWL (ft)
1/7/2025	28	31	20			28
1/8/2025	40	50	35			40
1/9/2025	63	78	40			10.3
1/9/2025	84	110	100			10.3
1/10/2025	120	124	50			10.3

(11) WELL LOG

Ground Elevation \_\_\_\_\_

Material	From	To
soil & gravel	0	1
clay brown	1	20
clay brown & gravel	20	28
sand brown	28	31
clay & gravel	31	40
sand brown	40	41
gravel	41	50
clay grey with gravel	50	63
black sand & gravel	63	78
gravel	78	84
black sand & gravel	84	102
black sand	102	110
cemented gravel with clay	110	116
gravel	116	120
black sand coarse	120	124
sand & gravel	124	133
clay & gravel	133	160
cemented gravel	160	166
clay grey with gravel	166	195

Construction

Begin Date 1/6/2025 Begin Time 11 00 End Date 3/29/2025

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number \_\_\_\_\_ Date \_\_\_\_\_

Signed \_\_\_\_\_

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 688 Date 4/23/2025

Signed STEVEN STADELI (E-filed)

Drilling Company: Westerberg Drilling Inc

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:

New exempt use wells must be submitted with a map and recording fee.

### (2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

  

Material	From	To	Amt	sacks/lbs

## (5) BORE HOLE CONSTRUCTION

BORE HOLE			SEAL			sacks/
Dia	From	To	Material	From	To	Amt lbs
					Calculated	
					Calculated	
					Calculated	
					Calculated	

FILTER PACK			
From	To	Material	Size

## (6) CASING/LINER

[illegible]

## (7) PERFORATIONS/SCREENS

[illegible]

**(8) WELL TESTS:** Minimum testing time is 1 hour

Type of Test	Yield (gal/min )	Drawdown	Drill Stem/ Pump Depth	Duration (hr)

## Water Quality Concerns

From	To	Description	Amount	Units

### **(10) STATIC WATER LEVEL**

[illegible]

## (11) WELL LOG

[illegible]

Name of person(s) who assisted with construction and Trainee License # / Helper #		
Assistant Name	Type	#


### Comments/Remarks

Drive shoe cut off @ 310'. This well is for Water Right Permit #G-18769  
10" flush drive shoe on top of riser pipe @ 152'  
Flows in water bearing zones are estimates  
6/9 CCS used on bottom screen 289'-300'. Water levels @ 28' & 40' not  
measured

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

LINN 64883

4/23/2025

## Map of Hole

### STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

### Oregon Water Resources Department

725 Summer St NE, Salem OR 97301  
(503)986-0900



### LOCATION OF WELL

Latitude: 44.57746000 Datum: WGS84

Longitude: -123.09926000

Township/Range/Section/Quarter-Quarter Section:

WM11.00S3.00W31NWNE

Address of Well:

BETA DRIVE EAST OF RAILROAD TRACKS (NO ADDRESS)

**Well Label: 151699**

**Printed: April 23, 2025**

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

