

**STATE OF OREGON
WATER SUPPLY WELL REPORT**

LINN 65022

WELL I.D. LABEL# L	157439
START CARD #	1080177
ORIGINAL LOG #	

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

10/25/2025

(1) LAND OWNER

Owner Well I.D. DR-3820

First Name CJ Last Name HENRICKS
 Company _____
 Address 35208 SPICER DR. SE
 City LEBANON State OR Zip 97355

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion
☐ Alteration (complete 2a & 10) ☐ Abandonment (complete 5a)

(2a) PRE-ALTERATION

Casing:

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
					<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>

 Material From To Amt sacks/lbs
 Seal:

(3) DRILL METHOD

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud
☐ Reverse Rotary ☐ Other

(4) PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Community
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering
☐ Thermal ☐ Injection ☐ Other

(5) BORE HOLE CONSTRUCTIONSpecial Standard ☐ (Attach copy)Depth of Completed Well 159.00 ft.

BORE HOLE			SEAL			sacks/	
Dia	From	To	Material	From	To	Amt	lbs
13.5	0	19	Bentonite	0	19	21	S
8	19	159			Calculated	16.52	
					Calculated		

Seal placement method: ☐ A ☐ B ☐ C ☐ D ☐ E ☒ Other: POURED DRYBackfill placed from ft. to ft. Material Filter pack from ft. to ft. Material Size Explosives used: ☐ Type Amount Seal Placement Begin Date 10/21/2025 Begin Time 14 00**(5a) ABANDONMENT USING UNHYDRATED BENTONITE**Proposed Amount Actual Amount **(6) CASING/LINER**

C/L	Dia	+	From	To	Gauge	Mat. Type	Wld	Thrd	Shoe	Location
C	8	<input checked="" type="checkbox"/>	1.6	159	0.250	ST	<input checked="" type="checkbox"/>		IN.	159

Temp casing ☒ Yes Dia 12 From+ ☒ 1 To 19**(7) PERFORATIONS/SCREENS**Perforations Method Holte Air PerforatorScreens Type Material

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ Pipe size
	Casing	8	95	156	.25	1	2196	

(8) WELL TESTS: Minimum testing time is 1 hour

Type of Test	Yield (gal/min)	Drawdown	Drill Stem/ Pump Depth	Duration (hr)
Air	400		155	1

Temperature 53 °F Lab analysis ☐ Yes By Water quality concerns? ☐ Yes (describe below) TDS amount 70 ppm

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)County LINN Twp 11.00 S N/S Range 3.00 W E/W WMSec 24 SE 1/4 of the SE 1/4 Tax Lot 403Tax Map Number Lot Lat ° ' " or 44.59444507 DMS or DDLong ° ' " or -122.99014306 DMS or DD☒ Street address of well ☐ Nearest address

35208 SPICER DR.
 LEBANON OR. 97355

(10) STATIC WATER LEVEL

	Date	SWL (psi)	+	SWL (ft)
Existing Well / Pre-Alteration				
Completed Well	10/23/2025			19

Flowing Artesian? ☐ Dry Hole? ☐**WATER BEARING ZONES**Depth water was first found 65.00

SWL Date	From	To	Est Flow	SWL (psi)	+	SWL (ft)
10/23/2025	65	159	400			19

(11) WELL LOGGround Elevation 279.41 FT

Material	From	To
Topsoil	0	2
Clay Brown Sticky	2	14
Clay Gray Silty w/ Small Gravel	14	49
Clay Gray w/ Gravel	49	65
Gravel w/ Sand Blue/Black	65	77
Clay Gray w/ Gravel	77	85
Gravel Blue w/ Sand	85	115
Gravel w/ Sand Medium Blue	115	125
Sand Course w/ Gravel Clean	125	136
Sand Packed w/ Large Gravel	136	158
Clay Gray Sandy	158	159

Construction

Begin Date 10/21/2025 Begin Time 10 00 End Date 10/23/2025**(unbonded) Water Well Constructor Certification**

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 1974 Date 10/25/2025Signed CJ NUGENT (E-filed)**(bonded) Water Well Constructor Certification**

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 664 Date 10/25/2025Signed CHARLES NUGENT (E-filed)Drilling Company: Nugent Drilling Co. Lebanon OR. 541-258-7816

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:

New exempt use wells must be submitted with a map and recording fee.

<p>Slight Sulfur Smell.</p> <p>Gallons per minute are approximate.</p> <p>Inside Mitsubishi Drive Shoe was used in this well.</p> <p>Could Perforate from 65-95' If needed for more water.</p>
--

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

LINN 65022

10/25/2025

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301
(503)986-0900



LOCATION OF WELL

Latitude: 44.59444507 Datum: WGS84

Longitude: -122.99014306

Township/Range/Section/Quarter-Quarter Section:

WM11.00S3.00W24SESE

Address of Well:

35208 SPICER DR.

LEBANON OR. 97355

Well Label: 157439

Printed: October 25, 2025

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

