

STATE OF OREGON WATER SUPPLY WELL REPORT

LINN 65133

WELL I.D. LABEL# L 157410 START CARD # 1082000 ORIGINAL LOG #

5/11/2026

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

(1) LAND OWNER Owner Well I.D. DR-3847 First Name WILLIAM Last Name TENBUSCH Company TENBUSCH FARMS LLC Address 36420 HIGHWAY 228 City BROWNSVILLE State OR Zip 97327

(2) TYPE OF WORK [X] New Well [] Deepening [] Conversion [] Alteration (complete 2a & 10) [] Abandonment (complete 5a)

(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd Casing: Seal:

(3) DRILL METHOD [X] Rotary Air [] Rotary Mud [] Cable [] Auger [] Reverse Rotary [] Other

(4) PROPOSED USE [] Domestic [X] Irrigation [] Community [] Industrial/ Commercial [] Livestock [] Dewatering [] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION Special Standard [] (Attach copy) Depth of Completed Well 132.00 ft.

Table with columns: Dia, From, To, Material, SEAL, Amt, lbs. Rows include Bentonite and Calculated values.

Seal placement method: [] A [] B [] C [] D [] E [X] Other: POURED DRY

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: Type Amount

Seal Placement Begin Date 5/7/2026 Begin Time 11:00

(5a) ABANDONMENT USING UNHYDRATED BENTONITE Proposed Amount Actual Amount

(6) CASING/LINER Table with columns: C/L, Dia, From, To, Gauge, Mat. Type, Wld, Thrd, Shoe, Location. Row 1: C, 6, 1.6, 119, 0.250, ST, X, OUT, 119.

Temp casing [X] Yes Dia 10 From + 1 To 19

(7) PERFORATIONS/SCREENS Perforations Method Holte Air Perforator

Table with columns: Perf/ Screen Liner, Dia, From, To, Scrm/slot width, Slot length, # of slots, Tele/ Pipe size. Row 1: 6, 94, 118, .25, 1, 576.

(8) WELL TESTS: Minimum testing time is 1 hour

Table with columns: Type of Test, Yield (gal/min), Drawdown, Drill Stem/ Pump Depth, Duration (hr). Row 1: Air, 100, 115, 1.

Temperature 53 °F Lab analysis [] Yes By

Water quality concerns? [] Yes (describe below) TDS amount 75 ppm

Table with columns: From, To, Description, Amount, Units.

(9) LOCATION OF WELL (legal description) County LINN Twp 14.00 S N/S Range 2.00 W E/W WM Sec 10 SW 1/4 of the NW 1/4 Tax Lot 100

SOUTH OF: 36420 HIGHWAY 228 BROWNSVILLE, OR 97327

(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration Completed Well 5/11/2026 17

WATER BEARING ZONES Table with columns: SWL Date, From, To, Est Flow, SWL(psi), + SWL(ft). Rows show data for 5/11/2026.

(11) WELL LOG Ground Elevation 393.97 FT

Table with columns: Material, From, To. Lists soil types like Topsoil, Clay Brown Sticky, etc.

Construction Begin Date 5/7/2026 Begin Time 09:00 End Date 5/11/2026

(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 1974 Date 5/11/2026

Signed CJ NUGENT (E-filed)

(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 664 Date 5/11/2026

Signed CHARLES NUGENT (E-filed)

Drilling Company: Nugent Drilling Co. Lebanon OR. 541-258-7816

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

LINN 65133

5/11/2026

Map of Hole

