The original and first copy of this report are to be 101 27 1965 WATER WELL REPORT Filed with the 101 27 1965 WATER WELL REPORT OF OREGON WITHIN 30 days from the data TE ENGINEE (Please type or print)

11/2W-14 F State Well No.

of well completion.	State Permit No.	***************************************
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water le lowered below static level	vel is
Name Russell C. & Helen Louise Falk	Was a pump test made? Wes Wes, by whom?	
Address Rte. #3, Box #84	Yield: 350 gal./min. with 8 ft. drawdown after	1 hrs.
Lebanon, Ore.	" "	"
(2) LOCATION OF WELL:	" " "	"
County Linn Driller's well number 118	Bailer test gal./min. with ft. drawdown afte	r hrs.
SE NEW 34 175 OW	Artesian flow g.p.m. Date	
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made?	Yes No
The state of the s	(12) WELL LOG: Diameter of well below casing	
	Depth drilled 25 ft. Depth of completed well 2	<b>5</b> ft.
	20	
	Formation: Describe by color, character, size of material and str show thickness of agulfers and the kind and nature of the mate stratum penetrated, with at least one entry for each change of	rial in each formation.
	MATERIAL FROM	T
(3) TYPE OF WORK (check):	Sandy top soil 0'	31
w Well Deepening Reconditioning Abandon	Sandy Ioam 3'	101
abandonment, describe material and procedure in Item 12.	Gravel clay (brown-firm) 10'	18'
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Small gravel (loose-w.b.) 18'	20'
- Rotary D Driven D	River gravel (clay streaks) 20	25
Domestic   Industrial   Municipal   Restrict   Section   Cable   Section   Section   Cable   Section   Sec	water bearing	
Dug 🗌 Bored 🗍		
(6) CASING INSTALLED: Threaded  Welded		
0 ft. to25 ft. Gage 250		
" Diam. fromft. toft. Gage		
" Diam. from ft. to ft. Gage	<u></u>	+
(7) PERFORATIONS: Perforated? ★ Yes □ No		
Type of perforator used Acet. Torch		
Size of perforations 3/8 in. by 10 in.		
77 perforations from25 ft. to18 ft.		
perforations from ft. to ft.		<u> </u>
perforations from ft. to ft.		
perforations fromft. toft.		-
perforations from ft. to ft.		<del> </del>
(8) SCREENS: Well screen installed? ☐ Yes ▼ No		-
Manufacturer's Name		
<sup>2</sup> Model No		<u> </u>
Salm. Slot size Set from ft. to ft.	Work started 7/1/65 19 Completed 7/2/65	19
Diam. Slot size Set from ft. to ft.	Date well drilling machine moved off of well $7/2/65$	19
(9) CONSTRUCTION:	(13) PUMP:	
Well seal—Material used in seal Bentonite	Manufacturer's Name	
Depth of seal	Type: H.P.	
Diameter of well bore to bottom of seal10 in.		
Were any loose strata cemented off? 🗌 Yes 🍒 No Depth	Water Well Contractor's Certification:	
Was a drive shoe used? XYes ☐ No	This well was drilled under my jurisdiction and this	report is
Was well gravel packed? Tyes No. Size of gravel:	true to the best of my knowledge and belief.	
Gravel placed from ft. to ft.	NAME Pete Tolmasoff Well Drilling	
Did any strata contain unusable water? 🔲 Yes 😾 No	(Person, firm or corporation) (Type or prin Address Turner, Ore.	t)
Type of water? depth of strata	Address 201101	
Method of sealing strata off	Drilling Machine Operator's License No. 320	
(10) WATER LEVELS:	(Va 1) 0 2 0 - 0	/
Static level 10 ft. below land surface Date 7/2/65	[Signed] (Water Well Contractor)	<b>)</b>
Artesian pressure lbs. per square inch Date	Contractor's License No. 410 Date 7/3/65	10