

LINN  
6657

**NOTICE TO WATER WELL CONTRACTOR**

The original and first copy of this report are to be filed with the

**RECEIVED**  
JUL 27 1965

**WATER WELL REPORT**

STATE ENGINEER, SALEM, OREGON 97310  
within 30 days from the date of well completion.

STATE OF OREGON  
(Please type or print)

State Well No. 11/2w-14K  
State Permit No. \_\_\_\_\_

(1) OWNER: SALEM OREGON

Name Clifford Whisenhunt (well#2)  
Address Rte. #3, Box #82  
Lebanon, Ore.

(2) LOCATION OF WELL:

County Linn Driller's well number 124  
NW  $\frac{1}{4}$  SE  $\frac{1}{4}$  Section 14 T. 11S R. 2W W.M.  
Bearing and distance from section or subdivision corner \_\_\_\_\_

(3) TYPE OF WORK (check):

Drill Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic  Industrial  Municipal  Irrigation  Test Well  Other   
Rotary  Cable  Dug  Driven  Jetted  Bored

(5) TYPE OF WELL:

(6) CASING INSTALLED:

10" Diam. from 0 ft. to 20 1/2 ft. Threaded  Welded   
Gage 250  
\_\_\_\_\_ " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_  
\_\_\_\_\_ " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_

(7) PERFORATIONS:

Type of perforator used Acet. Torch Perforated?  Yes  No  
Size of perforations 3/8 in. by 12 in.  
55 perforations from 18 ft. to 20 1/2 ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(8) SCREENS:

Well screen installed?  Yes  No  
Manufacturer's Name \_\_\_\_\_ Model No. \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Bentonite  
Depth of seal 18 ft. Was a packer used? NO  
Diameter of well bore to bottom of seal 10 in.  
Were any loose strata cemented off?  Yes  No Depth \_\_\_\_\_  
Was a drive shoe used?  Yes  No  
Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(10) WATER LEVELS:

Static level 5 ft. below land surface Date 7/21/65  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

(11) WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made?  Yes  No If yes, by whom? Self  
Yield: 300 gal./min. with 2 ft. drawdown after 1 hrs.

\_\_\_\_\_  
" " " " " " "

Bailer test \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_

Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

(12) WELL LOG: Diameter of well below casing 10

Depth drilled 23 ft. Depth of completed well 22 ft.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Loam (sandy)	0'	7'
Sand & blue clay (soft)	7'	13'
Clay & gravel (firm)	13'	17'
Cement gravel	17'	19'
Small gravel (loose) w.b.	19'	20'
Course river gravel w.b.	20'	21'
Gravel (small) & red siltn	21'	22'
Gravel & grey clay (firm)	22'	23'

Work started 7/20/65 Completed 7/21/65 19

Date well drilling machine moved off of well 7/21/65 19

(13) PUMP:

Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P. \_\_\_\_\_

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Pete Tolmasoff Wall Drilling  
(Person, firm or corporation) (Type or print)  
Address Turner, Ore.

Drilling Machine Operator's License No. 320

[Signed] Pete J. Tolmasoff  
(Water Well Contractor)

Contractor's License No. 410 Date 7/21/65, 19\_\_\_\_