## NOTICE TO WATER WELL CONTRACTOR. CEIVE

of this report are to be 11 2.7 19WATER WELL REPORT	W > 0 0	
filed with the	State Well No.	11/2w-14 K
STATE ENGINEER, SALEM, OREGON 9/310 ENGINEER OF OREGON within 30 days from the date (Please type or print)	Blate Well No.	
within 30 days from the date. (Please type or print)	"·	
of well completion.	State Permit N	0

WE STERMAN SET THE CONTROL OF THE CO			
(1) OWNER:	(11) WELL TESTS: Drawdown is amount visually leaves and below static leaves an	vater leve	l is
Name Clifford Whisenhunt (#1)	Was a pump test made? XYes \( \subseteq \text{No If yes, by whom} \)	444 _	f
Address Rte. #3: Box #82	Yield: 300 gal./min. with 1 ft. drawdow		I hrs.
Lebanon, Ore.	" " " "	11 41101	"
(2) LOCATION OF WELL:	" " "		"
T-200	Bailer test gal./min. with ft. drawdo	wn after	hrs.
Diffici & Well Humber	Artesian flow g.p.m. Date		
NW 14 SE 14 Section 14 T. 11S R. 2W W.M.	Temperature of water Was a chemical analysis n	nade? 🗌 Y	es 🕱 No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below car	ing	
	no	_	99
	The second secon	<del>-</del>	23 ft.
	Formation: Describe by color, character, size of material show thickness of aquifers and the kind and nature of t stratum penetrated, with at least one entry for each cl	and struct he materic lange of f	ture, and il in each ormation.
	MATERIAL	FROM	то
(3) TYPE OF WORK (check):	Top Soil	01	61
w Well 🙀 Deepening 🗌 Reconditioning 🗍 Abandon 🗍	Gravel & clav	61	121
abandonment, describe material and procedure in Item 12.	Cement gravel	12'	18'
(4) DDODOGED LIGE (abod). (5) EVDE OF WELL	River gravel & course sand	12	
(4) PROPOSED USE (check): (5) TYPE OF WELL:	water brg.	18'	221
Domestic   Industrial   Municipal   Rotary   Driven   Cable	Tight packed sand	221	23'
Irrigation Test Well Other Dug Bored	* 1810 backed sand		
(6) CASING INSTALLED: Threaded Welded M			
(6) CASING INSTALLED: Threaded $\square$ Welded $\square$	Province of the Control of the Contr		<del>.</del>
<del>-</del>			
"Diam. fromft. toft. Gage		-	<u> </u>
" Diam. from ft. to ft. Gage			
(7) PERFORATIONS: Perforated? XYes \( \square\) No			
Type of perforator used Acet. Torch			
Size of perforations 3/8 in. by 12in.			<del>.</del>
77 perforations from 23 ft. to 18 ft.			
perforations from ft. to ft.	New York of the Control of the Contr	.	
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
(8) SCREENS: Well screen installed?   Ves W No			, i
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1.	<del></del>
Manufacturer's Name			
e Model No			
Fiam Slot size Set from ft. to ft.	Work started 7/8/65 19 Completed 7/	8/65	19
Diam. Slot size Set from ft. to ft.	Date well drilling machine moved off of well 7/8	/65	19
(9) CONSTRUCTION:	(13) PUMP:		
Well seal—Material used in seal Bentonite			
TOTAL DEAT MATERIAL COCA HI SCAL	Manufacturer's Name		***************************************
Depth of seal	Type:	i.P	****************
Diameter of well bore to bottom of seal	Water Well Contractor's Certification:		
Was a drive shoe used? ♣Yes ☐ No			
Was a drive shoe used? ☐ Yes ☑ No Size of gravel:	This well was drilled under my jurisdiction a true to the best of my knowledge and belief.	na this i	eport is
Gravel placed fromft. toft.			
	NAME Pete Tolmasoff Well Dri (Person, firm or corporation) (Typ	Lling	
Did any strata contain unusable water? Tyes No	Address Turner, Ore.	or Print)	
Type of water? depth of strata	LIMMLEON		
Method of sealing strata off	Drilling Machine Operator's License No 32	J	
(10) WATER LEVELS:		7.16	1//
Static level 10 ft. below land surface Date 7/9/65	[Signed] (Water Well Contractor)	Torre	<i>:</i> //
Static level 10 ft. below land surface Date 7/8/65  Artesian pressure lbs. per square inch Date	190 7/27	/65 T	Ų.
Town by Diame Mill Date	Contractor's License No. 410 Date 1/41	<i>د</i> ل	., 19