WATER WELL REPORT STATE OF OREGON

In 3

in W In I W in

NUV 29 1983 State Well No

125/1W-22dd

LEASE TYPE or PRINT IN INK

(1) OWNER:	(10) LOCATION OF WELL:
Name Cossey & Det Le 1741	a distal
Address Buy 1/102 93 Note 1200 Drive	County L/VV Driller's well number
City Lebenon State Breach	SE 45 K 4 Section 22 T. 125 R. 1 W.M.
June C - golf	Tax Lot # Lot Blk Subdivision
(2) TYPE OF WORK (check): New Well [** Deepening ** Reconditioning ** Abandon ** P	Address at well location:
Abandon 🗆	(11) WATER LEVEL: Completed well.
If abandonment, describe material and procedure in Item 12.	· I
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 5.5 ft.
Rotary Air Driven Domestic Industrial Municipal	Static level ft. below land surface. Date 4 28-3
y Mud □ Dug □ Irrigation □ Test Well □ Other □	Artesian pressure lbs. per square inch. Date
□ Bored □ Thermal: Withdrawal □ Reinjection □	(12) WELL LOG: Diameter of well below casing
(5) CASING INSTALLED: Steel Plastic Threaded Welded Definition of the Company of the Gauge St. Gauge	Depth drilled /00 ft. Depth of completed well /00 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED:	MATERIAL From To SWL
ft. Gauge	Troil 10 SWL
(0) PEPEE	- Clay 0 38
(6) PERFORATIONS: Perforated? Yes \(\precedent \) No	- Just sandstone 38 54
Type of perforator used	- Dlue Birdsting 54 100
Size of perforations 14 in. by 3 in.	
3 / perforations from 50 ft. to 72 ft.	
ft. to ft.	
perforations from ft. to ft.	W 124
(7) SCREENS: Well screen installed? Yes No	
	, pate
Manufacturer's Name Type	, Marine Caranter Car
	A CONTRACTOR OF THE CONTRACTOR
The work of the state of the st	
December is a second to the se	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
a pump test made? Yes No If yes, by whom?	
Viold.	
Yield: gal/min with ft. drawdown after hrs.	3,000
	The state of the s
B. T	
	.=
esian flow g.p.m.	
Temperature of water Depth artesian flow encounteredft.	Work started at 3 6 1983 Completed as 28 1983
(9) CONSTRUCTION: Special standards: Yes □ No □	Date well drilling machine moved off of well
Well seal—Material used	(unbonded) Water Well Constructor Certification (if applicable):
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of seal 1.0 in.	and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal	[Signed] Journal Carry Date & Colly 1983
Number of sacks of cement used in well sealsacks	
How was cement grout placed?	Bonded Water Well Constructor Certification:
	Bond Local Issued by: While Dante Surety Company Name
Marita Bur 188	This well was drilled under my jurisdiction and this report is two to
Was pump installed?	the best of my knowledge and belief.
Nas a drive shoe used? Pyes \(\subseteq \text{No} \) Plugs Size: location ft.	Name A D. M.S. + S. C. D. J. A. N. S. WELL D. B. L. N. S. (Person firm or corporation)
Did any strata contain unusable water? Yes No	Address & 9630 SAINT IAM Havy SWEET 116 ME
Type of Water? depth of strata	
Method of sealing strata off	[Signed] Howard Gym
Was well gravel packed? Yes No Size of gravel:	Water Well Constructor
ravel placed from	Date