NOTICE TO WATER WELL CONTRACTOR

The original and first copy

of this report are to be filed with the

WATER WELL REPORT STATE OF OREGON

	1-2w	I
ell No.	11/2-24	1

	1-24	٥	D
<u> </u>		-24	

STATE ENGINEER, SALEM, CREGON 97310 3 1968 (Please ty within 30 days from the date	pe or print)	<u> </u>
of well completion.	G-4431	************
(1) OWNER: SALEM. CRESON	(11) LOCATION OF WELL:	
Name Mr. Clifford Whisenhunt	County Linn Driller's well number 302	
Address Rte.3, Box 82, Lebanon, Ore. (Easton Place) Well Location	SE ¼ SE¼ Section 14 T. 11S R. 2W	***
(Easton Place) Well Location	Bearing and distance from section or subdivision corner	W,M
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner	
New Well Deepening □ Reconditioning □ Abandon □		
If abandonment, describe material and procedure in Item 12.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing	OIF
Cable Jetted Domestic Industrial Municipal	Double dutilled O.O. at the control of the control	
Dug ☐ Bored ☐ Irrigation ▼ Test Well ☐ Other ☐	go	30 ft.
CASING INSTALLED: Threaded Welded	Formation: Describe color, texture, grain size and structure of mand show thickness and nature of each stratum and aquifer pen	etrated.
10" Diam. from 0 ft. to 25 ft. Gage 250	with at least one entry for each change of formation. Report each in position of Static Water Level as drilling proceeds. Note drilling	change
" Diam. from ft. to ft. Gage		
"_Diam. fromft. toft. Gage		
PERFORATIONS: Perforated? IN Ves. No.	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	
	Silt & sand (packed) 5° 7°	
	Clay & gravel (packed) 7' 16'	
a di	Pea gravel (loose) 16 17	
perforations from ft. to 18 ft.	Packed river gravel 17' 24'	
perforations fromft. toftft.	River gravel (loose) 24' 25'	
perforations fromft. toft.	Gravel & red clay 25 t 27 t	
perforations from ft. to ft.	Dark grey shale 27 30	
(7) SCREENS: Well screen installed? □ Yes 取 No		•
Manufacturer's Name		
Type		
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. ft.		
(8) WATER LEVEL: Completed well.		
level 12 ft. below land surface Date $5/10/68$		
Arsesian pressure lbs. per square inch Date		·
(9) WELL TESTS: Drawdown is amount water level is lowered below static level		<u> </u>
lowered below static level		
	Work started 5/10/68 19 Completed 5/10/68	10
260 " 2	7, 37, 30	19
"	9/10/00	19
Bailer test gal/min, with #t drawdown after har	Drilling Machine Operator's Certification: This well was constructed under my direct supervision.	, 35-4-
Andrein C.	riais used and information reported above are true to my	y best
Artesian flow g.p.m. Date	knowledge and belief	
Temperature of water Was a chemical analysis made? Yes No	[Signed] Date 5/13/68	19
(10) CONSTRUCTION:	Drilling Machine Operator's License No. 320	
Well seal—Material used Puddled clay & drillings		
Depth of seal	Water Well Contractor's Certification:	
Were any loose strata cemented off! Yes No Depth	This well was drilled under my jurisdiction and this rep true to the best of my knowledge and belief.	ort is
Was a drive shoe used? Mayes No	NAME Pete Tolmasoff Well Drilling	
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)	
Type of water? depth of strata	Address Turner, Ore.	
Method of sealing strata off	(1t Vilani)	
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	[Signed] (Water Well Contractor)	
Gravel placed fromft. to	410 - 5/18/69	
Tite	Contractor's License No. 710 Date 0/10/00 1	ð