ORIGINAL LINN DEGE VATERWE	LL REPORT State Well No. 11/2w -268
File Original and Duplicate with the STATE ENGINEER, 68 75 MAR 2 0 195 STATE OF SALEM, OREGON	
(1) OWNER: STATE ENGINEER Name & MATTER ON ON ONE STATE ENGINEER Address F. H. 2 BOX 202	(11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes No If yes, by whom? Yield: 300 gal./min. with / O ft. drawdown after 7 hrs.
LEBANON, & TEGON	11 11 11 11
(2) LOCATION OF WELL:	, , , , , , , , , , , , , , , , , , , ,
County ///W Owner's number, if any	Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date
5 6 14 .56 14 Section 26 T. // S R. 2W W.M.	Temperature of water 54 Was a chemical analysis made? Yes No
Bearing and distance from section or subdivision corner 2 2 5' N. AMD 198 W. OF 3E CURNER 3. 26, 7, 115, R. 2W.	(12) WELL LOG: Diameter of well inches.
EURNER 3, 26, T. 1/5, 12.	Depth drilled 2.5 ft. Depth of completed well ft.
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
	MATERIAL FROM TO
TYPE OF WORK (check):	Sandy gill to 5
w Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐ If abandonment, describe material and procedure in Item 11.	and small to loans
	gravel 5 20
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Teonsolidated sand and
Cable Jetted	gravel-some yellow
sation Test Well W Other Dug Bored	nt hattom, 20 25
(6) CASING INSTALLED: Threaded Welded 25	
" Diam. from ft, to ft. Gage	
"Diam. fromft. Gageft., Gage	
(7) PERFORATIONS: Perforated? Wes \(\text{No} \) Type of perforator used Cutting touch SIZE of perforations \(\frac{1}{2} \) in by \(\text{in} \)	
36 perforations from 13 ft. to 2.5 ft.	
perforations fromft. toft.	
perforations fromft. toft. perforations fromft. toft.	
perforations fromfttoft.	
(8) SCREENS: Well screen installed ☐ Yes ☑ No	
facturer's Name	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	Work started ///25/57 19 . Completed ///30/57 19
CONSTRUCTION:	(13) PUMP: FOLDDAK. MARSO
Gravel placed fromft. toft.	Manufacturer's Name Type: CN RIFY A H.P.
Was a surface seal provided? ☐ Yes ☐ No To what depth?	Type:
Material used in seal - Drilling mud & sand	Well Driller's Statement:
Did any strata contain unusable water \(\begin{aligned} \Delta \text{ Yes } \begin{aligned} \Delta \text{ No} \\ \Delta \text{ Depth of strata} \end{aligned} \)	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Type of water? Depth of strata Method of sealing strata off	NAME WEST WELL DRILLING
(10) WATER LEVELS: 11/30/57	(Person, firm, cr corporation) (Type or print) Address 4/20 MARKET ST. SALEM
Static level / ft. below land surface Date Artesian pressure lbs. per square inch Date	
Log Accepted by:	Driller's well number
[Signed] L. C. XTONOVANDate 12/30, 1957	[Signed] Marion E. West (Well Driller) License No. 30 Date /2/20/57, 19
(Owner)	I LILCUIDE INU. Techniques Date of Bright State of The St

State Well No. 11/2w -268